



中国国家强制性产品认证证书

证书编号：2025011002746564

认证委托人名称及地址

台达电子工业股份有限公司
台湾桃园市龟山区山顶里兴邦路 31 之 1 号

生产者名称及地址

台达电子工业股份有限公司
台湾桃园市龟山区山顶里兴邦路 31 之 1 号

生产企业名称及地址

中达电子（芜湖）有限公司
安徽省芜湖市经济技术开发区龙山街道九华北路 138 号

产品名称和系列、型号、规格

LED 模块用交流电子控制装置（LED 控制装置，独立式，控制端口调光，恒流模式，自耦式， $t_a:60^{\circ}\text{C}$ ， $t_c:85^{\circ}\text{C}$ ，I 类，IP66，不适宜直接安装在普通可燃材料表面，定温热保护： 110°C ）

见附页。输入：220-400V \sim ，50/60Hz

产品标准和技术要求

GB 17625.1-2022; GB/T 17743-2021; GB/T 19510.1-2023; GB/T 19510.213-2023

上述产品符合《强制性产品认证实施规则 照明电器》（CNCA-C10-01:2014）的要求，特发此证。

发证日期：2025 年 01 月 07 日 有效期至：2029 年 12 月 24 日

证书信息和有效性可扫描下方二维码或登录发证机构网站查验，
也可在认监委网站（www.cnca.gov.cn）查询。

经中国合格评定国家认可委员会认可 CNAS C001-P



签发：

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE



中国质量认证中心有限公司



中国国家强制性产品认证证书

证书编号：2025011002746564

证书附页：第 1 页 共 2 页

EUCO-600200GID、EUCO-600200GID1、EUCO-600200GID2、EUCO-600200GID3、
EUCO-600200GID4、EUCO-600200GID5、LNA-600A20AFCFA、
LNA-600A20AFCFA1、LNA-600A20AFCFA2、LNA-600A20AFCFA3、
LNA-600A20AFCFA4、LNA-600A20AFCFA5

以上型号，输入：220-400V \sim ，50/60Hz，2.85-1.54A，Max.635W；

输出：700-2000mA，200-550Vdc，Max.600Vdc，Max.600W，调光方式：DALI
调光；

辅助源：24Vdc，125mA。输入输出连接方式：电源线。

EUCO-600200GIA、EUCO-600200GIA1、EUCO-600200GIA2、EUCO-600200GIA3、
EUCO-600200GIA4、EUCO-600200GIA5、EUCO-600200GIC、EUCO-600200GIC1、
EUCO-600200GIC2、EUCO-600200GIC3、EUCO-600200GIC4、
EUCO-600200GIC5、LNA-600A20AFFFA、LNA-600A20AFFFA1、
LNA-600A20AFFFA2、LNA-600A20AFFFA3、LNA-600A20AFFFA4、
LNA-600A20AFFFA5

以上型号，输入：220-400V \sim ，50/60Hz，2.85-1.54A，Max.635W；

输出：700-2000mA，200-550Vdc，Max.600Vdc，Max.600W，调光方式：DALI
调光；

辅助源：24Vdc，125mA。输入输出连接方式：防水连接器。

EUCO-600200GDD、EUCO-600200GDD1、EUCO-600200GDD2、
EUCO-600200GDD3、EUCO-600200GDD4、EUCO-600200GDD5、
LNA-600A20AFCDA、LNA-600A20AFCDA1、LNA-600A20AFCDA2、
LNA-600A20AFCDA3、LNA-600A20AFCDA4、LNA-600A20AFCDA5

以上型号，输入：220-400V \sim ，50/60Hz，2.85-1.54A，Max.635W；

输出：700-2000mA，200-550Vdc，Max.600Vdc，Max.600W，调光方式：DMX
调光；

输入输出连接方式：电源线。

EUCO-600200GDA 、 EUCO-600200GDA1 、 EUCO-600200GDA2 、
EUCO-600200GDA3 、 EUCO-600200GDA4 、 EUCO-600200GDA5 、

本页为证书附页，应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



中国国家强制性产品认证证书

证书编号：2025011002746564

证书附页：第 2 页 共 2 页

EUCO-600200GDC 、 EUCO-600200GDC1 、 EUCO-600200GDC2 、
EUCO-600200GDC3 、 EUCO-600200GDC4 、 EUCO-600200GDC5 、
LNA-600A20AFFDA 、 LNA-600A20AFFDA1 、 LNA-600A20AFFDA2 、
LNA-600A20AFFDA3、LNA-600A20AFFDA4、LNA-600A20AFFDA5

以上型号，输入：220-400V~，50/60Hz，2.85-1.54A，Max.635W；

输出：700-2000mA，200-550Vdc，Max.600Vdc，Max.600W，调光方式：DMX
调光；

输入输出连接方式：防水连接器。

本页为证书附页，应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2025011002746564

NAME AND ADDRESS OF THE APPLICANT

Delta Electronics, Inc.
No. 31-1, Xingbang Road, Shanding Village, Guishan District, Taoyuan City 333613, Taiwan ,
P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Delta Electronics, Inc.
No. 31-1, Xingbang Road, Shanding Village, Guishan District, Taoyuan City 333613, Taiwan ,
P.R.China

NAME AND LOCATION OF THE FACTORY

DELTA ELECTRONICS(WUHU) LTD.
No.138, Jiuhua North Road,LongShan Street, Economic-technical Development Area, Wuhu
City ,Anhui Province , P.R.China

PRODUCT NAME,MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (LED Controlgear, Independent, Controlled
Port Dimming, Constant Current, Auto-wound Controlgear, ta:60°C, tc:90°C, Class I, Not Suitable For
Normally Flammable Material Surfaces, Temperature Declared Thermally Protected: 110°C)

See Appendix. Input: 220-400V ~ , 50/60Hz

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB/T 19510.1-2023;GB/T 19510.213-2023

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Jan.07,2025

Valid until: Dec.24,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2025011002746564

Appendix: Page 1 of 2

EUCO-600200GID、EUCO-600200GID1、EUCO-600200GID2、EUCO-600200GID3、
EUCO-600200GID4、EUCO-600200GID5、LNA-600A20AFCFA、
LNA-600A20AFCFA1、LNA-600A20AFCFA2、LNA-600A20AFCFA3、
LNA-600A20AFCFA4、LNA-600A20AFCFA5

以上型号，输入：220-400V~，50/60Hz，2.85-1.54A，Max.635W；

输出：700-2000mA，200-550Vdc，Max.600Vdc，Max.600W，调光方式：DALI
调光；

辅助源：24Vdc，125mA。输入输出连接方式：电源线。

EUCO-600200GIA、EUCO-600200GIA1、EUCO-600200GIA2、EUCO-600200GIA3、
EUCO-600200GIA4、EUCO-600200GIA5、EUCO-600200GIC、EUCO-600200GIC1、
EUCO-600200GIC2、EUCO-600200GIC3、EUCO-600200GIC4、
EUCO-600200GIC5、LNA-600A20AFFFA、LNA-600A20AFFFA1、
LNA-600A20AFFFA2、LNA-600A20AFFFA3、LNA-600A20AFFFA4、
LNA-600A20AFFFA5

以上型号，输入：220-400V~，50/60Hz，2.85-1.54A，Max.635W；

输出：700-2000mA，200-550Vdc，Max.600Vdc，Max.600W，调光方式：DALI
调光；

辅助源：24Vdc，125mA。输入输出连接方式：防水连接器。

EUCO-600200GDD、EUCO-600200GDD1、EUCO-600200GDD2、
EUCO-600200GDD3、EUCO-600200GDD4、EUCO-600200GDD5、
LNA-600A20AFCD A、LNA-600A20AFCD A1、LNA-600A20AFCD A2、
LNA-600A20AFCD A3、LNA-600A20AFCD A4、LNA-600A20AFCD A5

以上型号，输入：220-400V~，50/60Hz，2.85-1.54A，Max.635W；

输出：700-2000mA，200-550Vdc，Max.600Vdc，Max.600W，调光方式：DMX
调光；

输入输出连接方式：电源线。

EUCO-600200GDA 、 EUCO-600200GDA1 、 EUCO-600200GDA2 、
EUCO-600200GDA3 、 EUCO-600200GDA4 、 EUCO-600200GDA5 、

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2025011002746564


Appendix: Page 2 of 2

EUCO-600200GDC 、 EUCO-600200GDC1 、 EUCO-600200GDC2 、
EUCO-600200GDC3 、 EUCO-600200GDC4 、 EUCO-600200GDC5 、
LNA-600A20AFFDA 、 LNA-600A20AFFDA1 、 LNA-600A20AFFDA2 、
LNA-600A20AFFDA3、LNA-600A20AFFDA4、LNA-600A20AFFDA5

以上型号，输入：220-400V~，50/60Hz，2.85-1.54A，Max.635W；

输出：700-2000mA，200-550Vdc，Max.600Vdc，Max.600W，调光方式：DMX
调光；

输入输出连接方式：防水连接器。



This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.