



中国国家强制性产品认证证书

证书编号: 2023010907558209

发证日期: 2023年07月20日
有效期至: 2028年07月19日

**认证委托人名称
及注册地址** 台达电子工业股份有限公司
台湾桃园市龟山区山顶里兴邦路 31 之 1 号

**产品生产者名称
及注册地址** 台达电子工业股份有限公司
台湾桃园市龟山区山顶里兴邦路 31 之 1 号

**生产企业名称
及生产地址** 台达电子(东莞)有限公司西南分公司
中国广东省东莞市石碣镇蟠桃路 33 号

**产品名称和系列、
规格、型号** 开关电源
见附件, 产品销售时不配备电线组件, 仅适用于海拔 5000 米及以下

**产品标准和
技术要求** GB 17625.1-2022(A类);GB 4943.1-2022;GB/T 9254.1-2021

上述产品符合 CNCA-C09-01:2014 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

证书编号：2023010907558209

第 1 页 / 共 5 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

(1) MEG-700A3X YY-YY-YY ZZZZZ

(X 可以为字母 E、T 或者 C，代表不同的电源输入接口类型，E 为 EU 端子、T 为 US 端子、C 为器具输入插座；每组 YY 可以是 A1-W1、DD-QQ 或者 NU，代表不同的输出模块；Z=0-9、A-Z，区分不同的市场目的；详见型号差异列表) (销售型号：MEG-700A3)

(2) MEG-700A3X YY ZZZZZ

(X 可以为字母 E、T 或者 C，代表不同的电源输入接口类型，E 为 EU 端子、T 为 US 端子、C 为器具输入插座；YY 可以是 H2-W2，代表不同的输出模块；Z=0-9、A-Z，区分不同的市场目的；详见型号差异列表) (销售型号：MEG-700A3)

规格：

输入：100-240Vac, 8.5-3.5A, 50-60Hz;

输出：700W max.(输出 SLOT1-SLOT3), 5Vsb/2A



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2023010907558209

第 2 页 / 共 5 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

输出模组 单槽单输出	输出模组 T1	输出模组 T2	输出 电压	输出 电流	输出功率	输出代码变量 YY
MEG-A252M06S AA	MV-MPS17062-A	嵌装于对应的 输出模组： MEG-A252M06S AA	2.0V	45.0A	90W	A1
			2.4V	45.0A	108W	B1
			3.0V	45.0A	135W	C1
			3.3V	45.0A	149W	D1
			5.0V	45.0A	225W	E1
			5.5V	45.0A	248W	F1
			6.0V	42.0A	252W	G1
MEG-A300M12S AA	MV-MPS17055-A	嵌装于对应的 输出模组： MEG-A300M12S AA	8.0V	25.0A	200W	H1
			10.0V	25.0A	250W	I1
			12.0V	25.0A	300W	J1
			14.0V	21.4A	300W	K1
MEG-A300M18S AA	MV-MPS17056-A	嵌装于对应的 输出模组： MEG-A300M18S AA	15.0V	20.0A	300W	L1
			18.0V	16.7A	300W	M1
MEG-A300M24S AA	MV-MPS16006-A	嵌装于对应的 输出模组： MEG-A300M24S AA	20.0V	15.0A	300W	N1
			24.0V	12.5A	300W	O1
			28.0V	10.7A	300W	P1
MEG-A300M36S AA	MV-MPS17057-A	嵌装于对应的 输出模组： MEG-A300M36S AA	30.0V	10.0A	300W	Q1
			32.0V	9.40A	300W	R1
			36.0V	8.30A	300W	S1
			42.0V	7.10A	300W	T1
MEG-A300M48S AA	MV-MPS17058-A	嵌装于对应的 输出模组： MEG-A300M48S AA	48.0V	6.30A	300W	U1
			54.0V	5.50A	300W	V1
			60.0V	5.00A	300W	W1
输出模组 单槽双输出	输出模组 T1	输出模组 T2	输出 电压	输出 电流	输出 功率	输出代码 变量 YY
MEG-A240M30D AA	MV-IPSS18009-A	嵌装于对应的	1 或 2 3.3V	1 或 2 5.0A	1 或 2 16.5W	1 或 2 D



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2023010907558209

第 3 页 / 共 5 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

		输出模组： MEG-A240M30D AA	5.0V	5.0A	25.0W	E
		5.5V	5.0A	27.5W	F	
		6.0V	5.0A	30.0W	G	
		8.0V	5.0A	40.0W	H	
		10.0V	5.0A	50.0W	I	
		12.0V	5.0A	60.0W	J	
		14.0V	5.0A	70.0W	K	
		15.0V	5.0A	75.0W	L	
		18.0V	5.0A	90.0W	M	
		20.0V	4.5A	90.0W	N	
		24.0V	3.7A	90.0W	O	
		28.0V	3.2A	90.0W	P	
		30.0V	3.0A	90.0W	Q	



中国质量认证中心



中国国家强制性产品认证证书

输出模组 三槽单输出	输出模组 T1	输出模组 T2/T3	输出 电压	输出 电流	输出 功率	输出代码 变量 YY
MEG-A800M08S AA 证书编号: 2023010907558209	MV-IPSS18079-A	嵌装于对应的 输出模块: MEG-A800M08S AA	8.0V	78.75A	630W	H2
本证书及附件应同时使用, 信息查验说明见证书页			10.0V	70.00A	700W	J2
			12.0V	58.33A	700W	J2
			14.0V	50.00A	700W	K2
MEG-A1K2M12S AA	MV-IPSS18071-A	嵌装于对应的 输出模块: MEG-A1K2M12S AA	15.0V	46.67A	700W	L2
MEG-A1K2M18S AA	MV-IPSS18056-A	嵌装于对应的 输出模块: MEG-A1K2M18S AA	18.0V	38.89A	700W	M2
MEG-A1K2M24S AA	MV-IPSS18086-A	嵌装于对应的 输出模块: MEG-A1K2M24S AA	20.0V	35.00A	700W	N2
			24.0V	29.17A	700W	O2
			28.0V	25.00A	700W	P2

第 4 页 / 共 5 页

纸号:



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2023010907558209

第 5 页 /共 5 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

MEG-A1K2M36S AA	MV-IPSS18057-A	嵌装于对应的 输出模块： MEG-A1K2M36S AA	30.0V	23.33A	700W	Q2
			32.0V	21.88A	700W	R2
			36.0V	19.45A	700W	S2
			42.0V	16.67A	700W	T2
MEG-A1K2M48S AA	MV-IPSS18072-A	嵌装于对应的 输出模块： MEG-A1K2M48S AA	48.0V	14.59A	700W	U2
			54.0V	12.97A	700W	V2
			60.0V	11.67A	700W	W2



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2023010907558209

Valid from: Jul.20,2023

Valid until: Jul.19,2028

NAME AND REGISTERED ADDRESS OF THE APPLICANT Delta Electronics, Inc.
31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan City 33370, Taiwan

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER Delta Electronics, Inc.
31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan City 33370, Taiwan

NAME AND LOCATION OF THE FACTORY Delta Electronics (Dongguan) Co., Ltd. Southwest Branch.
No.33, Pantao Road, Shijie Town, Dongguan, Guangdong 523308, P. R. China

PRODUCT MODEL(S) SWITCHING POWER SUPPLY
See Appendix. Sale without cord set. Altitude up to 5000m

STANDARDS AND TECHNICAL REQUIREMENTS GB 17625.1-2022 (Class A) ;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023010907558209

page 1 of 5

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

(1) MEG-700A3X YY-YY-YY ZZZZZ

(X 可以为字母 E、T 或者 C，代表不同的电源输入接口类型，E 为 EU 端子、T 为 US 端子、C 为器具输入插座；每组 YY 可以是 A1-W1、DD-QQ 或者 NU，代表不同的输出模块；Z=0-9、A-Z，区分不同的市场目的；详见型号差异列表) (销售型号：MEG-700A3)

(2) MEG-700A3X YY ZZZZZ

(X 可以为字母 E、T 或者 C，代表不同的电源输入接口类型，E 为 EU 端子、T 为 US 端子、C 为器具输入插座；YY 可以是 H2-W2，代表不同的输出模块；Z=0-9、A-Z，区分不同的市场目的；详见型号差异列表) (销售型号：MEG-700A3)

规格：

输入：100-240Vac, 8.5-3.5A, 50-60Hz;

输出：700W max.(输出 SLOT1-SLOT3), 5Vsb/2A



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023010907558209

page2of5

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

输出模组 单槽单输出	输出模组 T1	输出模组 T2	输出 电压	输出 电流	输出功率	输出代码变量 YY
MEG-A252M06S AA	MV-MPS17062-A	嵌装于对应的 输出模组: MEG-A252M06S AA	2.0V	45.0A	90W	A1
			2.4V	45.0A	108W	B1
			3.0V	45.0A	135W	C1
			3.3V	45.0A	149W	D1
			5.0V	45.0A	225W	E1
			5.5V	45.0A	248W	F1
			6.0V	42.0A	252W	G1
MEG-A300M12S AA	MV-MPS17055-A	嵌装于对应的 输出模组: MEG-A300M12S AA	8.0V	25.0A	200W	H1
			10.0V	25.0A	250W	I1
			12.0V	25.0A	300W	J1
			14.0V	21.4A	300W	K1
MEG-A300M18S AA	MV-MPS17056-A	嵌装于对应的 输出模组: MEG-A300M18S AA	15.0V	20.0A	300W	L1
			18.0V	16.7A	300W	M1
MEG-A300M24S AA	MV-MPS16006-A	嵌装于对应的 输出模组: MEG-A300M24S AA	20.0V	15.0A	300W	N1
			24.0V	12.5A	300W	O1
			28.0V	10.7A	300W	P1
MEG-A300M36S AA	MV-MPS17057-A	嵌装于对应的 输出模组: MEG-A300M36S AA	30.0V	10.0A	300W	Q1
			32.0V	9.40A	300W	R1
			36.0V	8.30A	300W	S1
			42.0V	7.10A	300W	T1
MEG-A300M48S AA	MV-MPS17058-A	嵌装于对应的 输出模组: MEG-A300M48S AA	48.0V	6.30A	300W	U1
			54.0V	5.50A	300W	V1
			60.0V	5.00A	300W	W1
输出模组 单槽双输出	输出模组 T1	输出模组 T2	输出 电压	输出 电流	输出 功率	输出代码 变量 YY



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023010907558209

page3of 5

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

			1 或 2	1 或 2	1 或 2	1 或 2
MEG-A240M30D AA	MV-IPSS18009-A	嵌装于对应的 输出模组: MEG-A240M30D AA	3.3V	5.0A	16.5W	D
			5.0V	5.0A	25.0W	E
			5.5V	5.0A	27.5W	F
			6.0V	5.0A	30.0W	G
			8.0V	5.0A	40.0W	H
			10.0V	5.0A	50.0W	I
			12.0V	5.0A	60.0W	J
			14.0V	5.0A	70.0W	K
			15.0V	5.0A	75.0W	L
			18.0V	5.0A	90.0W	M
			20.0V	4.5A	90.0W	N
			24.0V	3.7A	90.0W	O
			28.0V	3.2A	90.0W	P
30.0V	3.0A	90.0W	Q			



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

输出模组 三槽单输出	输出模组 T1	输出模组 T2/T3	输出 电压	输出 电流	输出 功率	输出代码 变量 YY
MEG-A800M08S AA CERTIFICATE NO : 2023010907553209	MV-IPSS18079-A	嵌装于对应的 输出模块: MEG-A800M08S AA	8.0V	78.75A	630W	H2 page4of 5
MEG-A1K2M12S AA This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.	MV-IPSS18071-A	嵌装于对应的 输出模块: MEG-A1K2M12S AA	10.0V 12.0V 14.0V	70.00A 58.33A 50.00A	700W 700W 700W	L3 L2 K2
MEG-A1K2M18S AA	MV-IPSS18056-A	嵌装于对应的	15.0V	46.67A	700W	L2



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023010907558209

page 5 of 5

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

		输出模块: MEG-A1K2M18S AA	18.0V	38.89A	700W	M2
MEG-A1K2M24S AA	MV-IPSS18086-A	嵌装于对应的	20.0V	35.00A	700W	N2
		输出模块:	24.0V	29.17A	700W	O2
		MEG-A1K2M24S AA	28.0V	25.00A	700W	P2
MEG-A1K2M36S AA	MV-IPSS18057-A	嵌装于对应的	30.0V	23.33A	700W	Q2
		输出模块:	32.0V	21.88A	700W	R2
		MEG-A1K2M36S AA	36.0V	19.45A	700W	S2
			42.0V	16.67A	700W	T2
MEG-A1K2M48S AA	MV-IPSS18072-A	嵌装于对应的	48.0V	14.59A	700W	U2
		输出模块:	54.0V	12.97A	700W	V2
		MEG-A1K2M48S AA	60.0V	11.67A	700W	W2



CHINA QUALITY CERTIFICATION CENTRE