

Australia and New Zealand Certificate of Suitabilityaddendum

Certificate ULL-103269 -A2

Issue date 2024-12-06

Expiration date 2029-02-23





This is to acknowledge that

DELTA ELECTRONICS INC

3 Tungyuan Road Chungli Industrial Zone, Taoyuan City 32063 Taiwan

has had

Independent LED Controlgear

[refer following page(s) for models list]

evaluated and meets the requirements of the standard(s)

AS 61347.2.13:2018; AS/NZS 61347.1:2016+A1

ANZ Certification Scheme requirements.

Stuart Foster (Certification Officer)

Certification Body: UL International New Zealand Limited, 54 Tarndale Grove, Albany, Auckland 0632, New Zealand.

Issued for use in Australia and New Zealand only. All dates are in Year-Month-Day format (YYYY-MM-DD).

Australia and New Zealand Certificate of Suitability-addendum

Certificate No: ULL-103269 -A2 Original Date of Certification: 2024-02-23 Date of Issue/Revision: 2024-12-06

Trade Name or Trademark: DELTA

Risk Class / NSW Declared Class: EESS OUT OF SCOPE - Non-prescribed / nondeclared - Commercial (not certified for residential or household use)

IEC Standard Country Differences: AU and NZ

Certification Marking: The RCM may be applied to the product and all the requirements of all relevant parts of AS/NZS 4417 applicable to the article shall be fulfilled.

Additional Certification Conditions: None.

Model Details:

Model Name
EUCO-600200GDCXX
LNA-600A20AFFFAXX
LNA-600A20AFFDAXX
EUCO-600200GIDXX
LNA-600A20AFCFAXX
EUCO-600200GDDXX
LNA-600A20AFCDAXX
EUCO-600200GIAXX
EUCO-600200GICXX
EUCO-600200GDAXX

Additional Information:

Details of models: Input: 220-400 V~ 50/60 Hz 2.85-1.54 A 635 W(Max.) λ >0.95: EUCO-600200GIAXX, LNA-600A20AFFFAXX, EUCO-600200GDAXX, LNA-600A20AFFDAXX, EUCO-600200GICXX, EUCO-600200GDCXX λ :0.9C-0.95: EUCO-600200GIDXX, LNA-600A20AFCFAXX, EUCO-600200GDDXX, LNA-600A20AFCDAXX Output: 200-550 V Uout = 600 V max. (No load) 700-2000 mA Constant current output 600 W max. Uaux: +24 V 125 mA (EUCO-600200GIAXX, LNA-600A20AFFFAXX, EUCO-600200GICXX , EUCO-600200GIDXX, LNA-600A20AFCFAXX only) ta= -40...+60°C, tc= +85°C Class I, IP66

For NON-IC LED drivers -The requirements of EESS General Guidance Notice 20-007 for NON-IC classified LED drivers is applicable. Refer https://www.eess.gov.au/news-and-notifications/information-and-advisory-notes for more information.

Details of Addendum: - models LNA-600A20AFFFAXX, LNA-600A20AFFDAXX,EUCO-600200GIDXX, LNA-600A20AFCFAXX, EUCO-600200GDDXX,LNA-600A20AFCDAXX added.

