



Ref. Certif. No.

DK-144842-A1-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product
Name and address of the applicant
Name and address of the manufacturer
Name and address of the factory
Note: When more than one factory, please report on page 2

SWITCHING POWER SUPPLY

DELTA ELECTRONICS INC
3 Tungyuan Road
Chungli Industrial Zone Taoyuan City 32063
Taiwan

DELTA ELECTRONICS INC
3 Tungyuan Road
Chungli Industrial Zone Taoyuan City 32063
Taiwan

DELTA ELECTRONICS (JIANGSU) LTD.
No 1688 Jiangxing East Road
Wujiang Economic and Technological Development Zone Suzhou City,
Jiangsu, 215200
China

Additional Information on page 2

Ratings and principal characteristics

Input rating: 100 - 240V ac, 2.5-1.25 A, 50-60 Hz
Additional Information on page 2

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

CTF Stage 2

Model / Type Ref.

MDS-100BPS12 B, MDS-100BPS15 B, MDS-100BPS18 B,
MDS-100BPS24 B,

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to: EN 60601-1:2006, EN 60601-1:2006/A1:2013,
EN 60601-1:2006/A12:2014, EN 60601-1:2006/A2:2021
National Differences: EU Group Differences, CA, GB, US
The certificate was revised to include corrections.

Summary of Modifications:
Corrected IEC standards.
Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60601-1:2005, IEC 60601-1:2005/AMD1:2012,
IEC 60601-1:2005/AMD2:2020

As shown in the Test Report Ref. No. which forms part of this Certificate

E356265-D1153-1/A0/C0-CB issued on 2023-08-28

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2023-09-04
Original Issue Date: 2023-08-31

Signature: [Handwritten Signature]
Thomas Wilson



Ref. Certif. No.

**DK-144842-A1-UL**

**Factory(ies):**

DELTA ELECTRONICS (THAILAND) PUBLIC CO LTD  
909 Soi 9 Moo 4  
Bangpoo Industrial Estate (EPZ)  
Pattana 1 Road Samutprakarn, Bangkok, 10280  
Thailand

Delta Electronics (Dongguan) Co Ltd  
No 33 Pantao Road  
Shijie Town Dongguan, Guangdong, 523308  
China

Delta Electronics (Thailand) Public Company Limited  
111/6 Moo 9, Wellgrow Industrial Estate, Bangna-Trad Road, Tambol Bangwua, Amphur Bangpakong, Chachoengsao, 24180  
Thailand

Delta Electronics (Dongguan) Co., Ltd Southwest Branch  
No 33 Pantao Road, Shijie Town Dongguan, Guangdong, 523308  
China

Delta Electronics India Private Limited SEZ Unit  
SY No 16/1b2b(Part) & 16/1b2a(Part)  
Plot No 1 Industrial Park  
Kurubarapalli Village Krishnagiri, Tamil Nadu 635115  
India

Delta Electronics (Wuhu) Ltd  
No. 138 Jiu Hua North Road  
Longshan Street  
Economic Technical Development Area Wuhu City, Anhui, 241009  
China

**Additional Ratings:**

Output rating:  
For MDS-100BPS24 B: 24Vdc, 4.17A  
For MDS-100BPS18 B: 18Vdc, 5.56A  
For MDS-100BPS15 B: 15Vdc, 6.67A  
For MDS-100BPS12 B: 12Vdc, 8.33A

See Test Report for details.

**Additional information (if necessary)**



- UL Solutions (US), 333 Pflugsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-09-04  
Original Issue Date: 2023-08-31

Signature:

Thomas Wilson



Ref. Certif. No.

DK-144842-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	SWITCHING POWER SUPPLY
Name and address of the applicant	DELTA ELECTRONICS INC 3 Tungyuan Road Chungli Industrial Zone Taoyuan City 32063 Taiwan
Name and address of the manufacturer	DELTA ELECTRONICS INC 3 Tungyuan Road Chungli Industrial Zone Taoyuan City 32063 Taiwan
Name and address of the factory	DELTA ELECTRONICS (JIANGSU) LTD. No 1688 Jiangxing East Road Wujiang Economic and Technological Development Zone Suzhou City, Jiangsu, 215200 China <input checked="" type="checkbox"/> Additional Information on page 2
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	Input rating: 100 - 240V ac, 2.5-1.25 A, 50-60 Hz <input checked="" type="checkbox"/> Additional Information on page 2
Trademark / Brand (if any)	
Customer's Testing Facility (CTF) Stage used	CTF Stage 2
Model / Type Ref.	MDS-100BPS24 B, MDS-100BPS18 B, MDS-100BPS15 B, MDS-100BPS12 B
Additional information (if necessary may also be reported on page 2)	<b>Additionally evaluated to:</b> EN 60601-1:2006, EN 60601-1:2006/A1:2013, EN 60601-1:2006/A12:2014, EN 60601-1:2006/A2:2021 National Differences: EU Group Differences, CA, GB, US <input type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 60601-1:2005, IEC 60601-1:2005/AMD1:2012
As shown in the Test Report Ref. No. which forms part of this Certificate	E356265-D1153-1/A0/C0-CB issued on 2023-08-28

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/nbcnames](http://www.ul.com/nbcnames)

Date: 2023-08-31

Signature:

  
Thomas Wilson



Ref. Certif. No.

**DK-144842-UL**

**Factory(ies):**

DELTA ELECTRONICS (THAILAND) PUBLIC CO LTD  
909 Soi 9 Moo 4  
Bangpoo Industrial Estate (EPZ)  
Pattana 1 Road Samutprakarn, Bangkok, 10280  
Thailand

Delta Electronics (Dongguan) Co Ltd  
No 33 Pantao Road  
Shijie Town Dongguan, Guangdong, 523308  
China

Delta Electronics (Thailand) Public Company Limited  
111/6 Moo 9, Wellgrow Industrial Estate, Bangna-Trad Road, Tambol Bangwua, Amphur Bangpakong Chachoengsao, 24180  
Thailand

Delta Electronics (Dongguan) Co., Ltd Southwest Branch  
No 33 Pantao Road, Shijie Town Dongguan, Guangdong, 523308  
China

Delta Electronics India Private Limited SEZ Unit  
SY No 16/1b2b(Part) & 16/1b2a(Part)  
Plot No 1 Industrial Park  
Kurubarapalli Village Krishnagiri, Tamil Nadu 635115  
India

Delta Electronics (Wuhu) Ltd  
No. 138 Jiuhoa North Road  
Longshan Street  
Economic Technical Development Area Wuhu City, Anhui, 241009  
China

**Additional Ratings:**

Output rating:  
For MDS-100BPS24 B: 24Vdc, 4.17A  
For MDS-100BPS18 B: 18Vdc, 5.56A  
For MDS-100BPS15 B: 15Vdc, 6.67A  
For MDS-100BPS12 B: 12Vdc, 8.33A

See Test Report for details.

**Additional information (if necessary)**



- UL Solutions (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-08-31

Signature:

Thomas Wilson

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

**CB TEST CERTIFICATE****CERTIFICAT D'ESSAI OC**

Product  
Produit

SWITCHING POWER SUPPLY

Name and address of the applicant  
Nom et adresse du demandeur

DELTA ELECTRONICS INC  
3 TUNGYUAN RD CHUNGLI INDUSTRIAL ZONE  
TAOYUAN COUNTY 32063  
TAIWAN

Name and address of the manufacturer  
Nom et adresse du fabricant

DELTA ELECTRONICS, INC.  
3 TUNGYUAN ROAD, CHUNGLI INDUSTRIAL ZONE  
TAOYUAN COUNTY 32063  
TAIWAN, R.O.C.

Name and address of the factory  
Nom et adresse de l'usine

DELTA ELECTRONICS (THAILAND) PUBLIC CO., LTD  
909 SOI 9 MOO 4, BANGPOO INDUSTRIAL ESTATE (E.P.Z.),  
PATTANA 1 RD., TAMBOL PHRAKSA, AMPHUR MUANG,  
SAMUTPRAKARN 10280  
THAILAND

Note: When more than one factory, please report on page 2  
Note: Lorsque il y a plus d'une usine, veuillez utiliser la 2<sup>ème</sup> page

Additional Information on page 2  
See Page 2

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

DELTA ELECTRONICS INC.

Trademark (if any)  
Marque de fabrique (si elle existe)



Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais  
constructeur

Model / Type Ref.  
Ref. De type

MDS-100BPS24 B, MDS-100BPS18 B,  
MDS-100BPS15 B, MDS-100BPS12 B

Additional information (if necessary may also be  
reported on page 2)  
Les informations complémentaires (si nécessaire,,  
peuvent être indiqués sur la 2<sup>ème</sup> page

Additionally evaluated to EN 60601-1:2006/ A1:2013/ A12:2014;  
National Differences specified in the CB Test Report.

Additional Information on page 2

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60601-1(ed.3), IEC 60601-1(ed.3);am1

As shown in the Test Report Ref. No. which forms  
part of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

E356265-D1010-1-CB issued on 2015-09-24

This CB Test Certificate is issued by the National Certification Body

Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2015-10-01

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-48842-UL**

**Factories:**

DELTA ELECTRONICS POWER (DONGGUAN) CO., LTD.  
DELTA INDUSTRIAL ESTATE, SHIJIE TOWN, DONGGUAN CITY, GUANGDONG PROVINCE 523308  
CHINA

DELTA ELECTRONICS (JIANGSU) LTD  
NO. 1688, JIANGXING EAST ROAD, WUJIANG ECONOMIC DEVELOPMENT ZONE, WUJIANG CITY, JIANGSU  
PROVINCE, 215200  
CHINA

**Ratings:**

**Input rating:**

100 - 240V ac, 2.5-1.25 A, 50-60 Hz

**Output rating:**

For MDS-100BPS24 B: 24Vdc, 4.17A;

For MDS-100BPS18 B: 18Vdc, 5.56A;

For MDS-100BPS15 B: 15Vdc, 6.67A;

For MDS-100BPS12 B: 12Vdc, 8.33A.

See test report for details.

**Additional information (if necessary)**

**Information complémentaire (si nécessaire)**



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2015-10-01

Signature:

Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

## CB TEST CERTIFICATE

Product	SWITCHING POWER SUPPLY
Name and address of the applicant	Delta Electronics, Inc. 3 Tungyuan Road, Chungli Industrial Zone, Taoyuan County 32063, Taiwan
Name and address of the manufacturer	Delta Electronics, Inc. 3 Tungyuan Road, Chungli Industrial Zone, Taoyuan County 32063, Taiwan
Name and address of the factory	Delta Electronics (Thailand) Public Co., Ltd. 909 Soi 9 Moo 4, Bangpoo Industrial Estate (E.P.Z.), Pattana 1 Rd., Tambol Phraksa, Amphur Muang, Samutprakarn 10280, THAILAND
Note: When more than one factory, please report on page 2	<input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	See Page 2
Trademark (if any)	DELTA ELECTRONICS, INC.
Type of Customer's Testing Facility (CTF) Stage used	CTF Stage 1
Model / Type Ref.	MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 C, MDS-100BPS18 B, MDS-100BPS15 B, MDS-100BPS12 B, PJT-24V100WBBXY, PJT-18V100WBBXY, PJT-15V100WBBXY, PJT-12V100WBBXY (X, Y=0-9, A-Z or Blank)
Additional information (if necessary may also be reported on page 2)	Additionally evaluated to EN 62368-1:2014/A11:2017. National Differences specified in the CB Test Report. <input type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	E131881-4789104700-1 Original issued on 2019-07-30

This CB Test Certificate is issued by the National Certification Body



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2019-07-31

Signature:

  
Jan-Erik Storgaard



Ref. Certif. No.

**DK-86280-UL**

**Factories:**

Delta Electronics Power (Dongguan) Co., Ltd.  
Delta Industrial Estate, Shijie Town, Dongguan City, Guangdong Province 523308  
China

Delta Electronics (Jiangsu) Ltd.  
No. 1688, Jiangxing East Road, Wujiang Economic and Technological Development Zone, Suzhou City Jiangsu  
Province 215200  
China

**Ratings:**

Input: 100-240V~, 2.5-1.25A, 50-60Hz (For Models MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 C, MDS-100BPS18 B, MDS-100BPS15 B, MDS-100BPS12 B);

Input: 100-240V~, 2.5A, 50-60Hz (For Models PJT-24V100WBBXY, PJT-18V100WBBXY, PJT-15V100WBBXY, PJT-12V100WBBXY (X, Y=0-9, A-Z or Blank))

**Output:**

24Vdc, 4.17A (for models MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 C, PJT-24V100WBBXY (X, Y=0-9, A-Z or Blank))

18Vdc, 5.56A (for model MDS-100BPS18 B)

15Vdc, 6.67A (for model MDS-100BPS15 B, PJT-15V100WBBXY (X, Y=0-9, A-Z or Blank))

12Vdc, 8.33A (for model MDS-100BPS12 B, PJT-12V100WBBXY (X, Y=0-9, A-Z or Blank))

18Vdc, 5.55A (for model PJT-18V100WBBXY (X, Y=0-9, A-Z or Blank))

**Additional information (if necessary)**



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2019-07-31

Signature:   
Jan-Erik Storgaard





Ref. Certif. No.

DK-131218-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

SWITCHING POWER SUPPLY

Name and address of the applicant

DELTA ELECTRONICS INC  
3 TUNGYUAN ROAD CHUNGLI INDUSTRIAL ZONE TAOYUAN CITY  
32063 TAIWAN

Name and address of the manufacturer

DELTA ELECTRONICS INC  
3 TUNGYUAN ROAD CHUNGLI INDUSTRIAL ZONE TAOYUAN CITY  
32063 TAIWAN

Name and address of the factory

Delta Electronics (Thailand) Public Co., Ltd.  
909 Soi 9 Moo 4, Bangpoo Industrial Estate (E.P.Z.), Pattana 1 Road,  
Tambol Phraksa, Amphur Muang, Samutprakarn 10280, Thailand  
 Additional Information on page 2

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

Input: 100-240V~, 2.5-1.25A, 50-60Hz  
 Additional Information on page 2

Trademark (if any)

DELTA ELECTRONICS, INC.

Customer's Testing Facility (CTF) Stage used

CTF Stage 1

Model / Type Ref.

MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24  
 Additional Information on page 2

Additional information (if necessary may also be reported on page 2)

**Additionally evaluated to:**  
EN IEC 62368-1:2020, EN IEC 62368-1:2020/A11:2020  
National Difference specified in the CB Test Report  
 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2018

As shown in the Test Report Ref. No. which forms part of this Certificate

E131881-A6819-CB-1 issued on 2022-08-19

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2022-08-19

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-131218-UL**

**Factory(ies):**

Delta Electronics (Dongguan) Co., Ltd.  
No. 33 Pantao Road Shijie Town Dongguan Guangdong 523308  
China

Delta Electronics (Jiangsu) Ltd.  
215200, No.1688, Jiangxing East Road, Wujiang Economic and Technological Development Zone, Suzhou City, Jiangsu  
Province, P. R. China

DELTA ELECTRONICS (WUHU) LTD.  
No. 138, Jiu Hua North Road, LongShan Street, Economic technical Development Area Wuhu City, Anhui Province,  
P. R. China

Delta Electronics (Thailand) Public Company Limited  
111/6 Moo 9, Wellgrow Industrial Estate, Bangna-Trad Road, Tambol Bangwua, Amphur Bangpakong, Chachoengsao 24180,  
Thailand

Delta Electronics (Dongguan) Co., Ltd Southwest Branch  
No. 33 Pantao Road Shijie Town Dongguan Guangdong 523308 China

Delta Electronics India Private Limited-SEZ Unit  
Delta SEZ Notified at SY No. 16/1B2B Part & 16/1B2A Part Plot No.1, Industrial Park, Kurubarapalli Village Krishnagiri Dist,  
Tamil Nadu, 635115, INDIA

**Additional Model Detail(s):**

MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 C, MDS-100BPS18 B, MDS-100BPS15 B, MDS-100BPS12 B,  
PJT-24V100WBBXY, PJT-18V100WBBXY, PJT-15V100WBBXY, PJT-12V100WBBXY (X, Y=0-9, A-Z or Blank)

**Additional Ratings:**

Input: 100-240V~, 2.5-1.25A, 50-60Hz (For Models MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 C, MDS-100BPS18 B,  
MDS-100BPS15 B, MDS-100BPS12 B);

Input: 100-240V~, 2.5A, 50-60Hz (For Models PJT-24V100WBBXY, PJT-18V100WBBXY, PJT-15V100WBBXY, PJT-  
12V100WBBXY (X, Y=0-9, A-Z or Blank))

Output:  
24Vdc, 4.17A (for models MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 C, PJT-24V100WBBXY (X, Y=0-9, A-Z or Blank))  
18Vdc, 5.56A (for model MDS-100BPS18 B)  
15Vdc, 6.67A (for model MDS-100BPS15 B, PJT-15V100WBBXY (X, Y=0-9, A-Z or Blank))  
12Vdc, 8.33A (for model MDS-100BPS12 B, PJT-12V100WBBXY (X, Y=0-9, A-Z or Blank))  
18Vdc, 5.55A (for model PJT-18V100WBBXY (X, Y=0-9, A-Z or Blank))

**Additional information (if necessary)**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2022-08-19

Signature:

Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

## CERTIFICAT D'ESSAI OC

Product  
ProduitName and address of the applicant  
Nom et adresse du demandeurName and address of the manufacturer  
Nom et adresse du fabricantName and address of the factory  
Nom et adresse de l'usineNote: *When more than one factory, please report on page 2*  
Note: *Lorsque il y a plus d'une usine, veuillez utiliser la 2<sup>ème</sup> page*Ratings and principal characteristics  
Valeurs nominales et caractéristiques principalesTrademark (if any)  
Marque de fabrique (si elle existe)  
Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais  
constructeurModel / Type Ref.  
Ref. De typeAdditional information (if necessary may also be  
reported on page 2)  
Les informations complémentaires (si nécessaire,,  
peuvent être indiqués sur la 2<sup>ème</sup> pageA sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à laAs shown in the Test Report Ref. No. which forms  
part of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

SWITCHING POWER SUPPLY

DELTA ELECTRONICS INC  
3 TUNGYUAN RD  
CHUNGLI INDUSTRIAL ZONE  
TAOYUAN COUNTY, 32063 TaiwanDELTA ELECTRONICS INC  
3 TUNGYUAN RD  
CHUNGLI INDUSTRIAL ZONE  
TAOYUAN COUNTY, 32063 TaiwanDELTA ELECTRONICS POWER (DONGGUAN) CO., LTD.  
DELTA INDUSTRIAL ESTATE, SHIJIE TOWN, DONGGUAN  
CITY, GUANGDONG PROVINCE 523308  
CHINA Additional Information on page 2  
See Page 2

DELTA ELECTRONICS, INC.

TMP

MDS-100BPS12 B, MDS-100BPS15 B, MDS-100BPS18 B,  
MDS-100BPS24 B  
See Page 2 Additional Information on page 2IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,  
IEC 60950-1(ed.2);am2

OFF-4786085592-BA5-1 issued on 2013-11-06

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**

- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2013-11-06

Signature:



Jan-Erik Storgaard

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

## Factories:

DELTA ELECTRONICS (JIANGSU) LTD.  
NO. 1688, JIANGXING EAST ROAD, WUJIANG ECONOMIC DEVELOPMENT ZONE, WUJIANG CITY, JIANGSU PROVINCE, 215200  
CHINA

## Ratings:

Input: 100-240V~, 2.5-1.25A, 50-60Hz

## Output:

24Vdc, 4.17A (for model MDS-100BPS24 B)  
18Vdc, 5.56A (for model MDS-100BPS18 B)  
15Vdc, 6.67A (for model MDS-100BPS15 B)  
12Vdc, 8.33A (for model MDS-100BPS12 B)

## Additional Information:

Additionally evaluated to EN 60950-1:2006/A11:2009/A1:2010/A12:2011/A2:2013.  
National Differences specified in the CB Test Report.

**Additional information (if necessary)****Information complémentaire (si nécessaire)**

UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2013-11-06

Signature:



Jan-Erik Storgaard