



中国国家强制性产品认证证书

证书编号：2023010907522808

发证日期：2023年12月06日

有效期至：2028年02月05日

**认证委托人名称
及注册地址** 台达电子工业股份有限公司
台湾桃园市龟山区山顶里兴邦路31之1号

**产品生产者名称
及注册地址** 台达电子工业股份有限公司
台湾桃园市龟山区山顶里兴邦路31之1号

**生产企业名称
及生产地址** 台达电子(东莞)有限公司西南分公司
中国广东省东莞市石碣镇蟠桃路33号

**产品名称和系列、
规格、型号** 开关电源
见附件(产品销售时不带电线组件, 仅适用于海拔5000米及以下)

**产品标准和
技术要求** GB 17625.1-2022;GB 4943.1-2022;GB/T 9254.1-2021

上述产品符合 CNCA-C09-01:2023 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书, 证书首次颁发日期: 2023年02月06日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发: 谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

证书编号：2023010907522808

第 1 页 共 1 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

型号	输入	输出	最大输出功率
MDS-250APB24 XX	200V-240VAC, 4A, 50-60Hz	24Vdc/10.41 A Max, 5Vsb/0.5A	250W
MDS-250ADB24 XX		24Vdc/10.41 A Max, 5Vsb/0.5A	250W
MDS-300APB24 XX		24V/12.5A Max; 5Vsb/0.5A	300W
MDS-300ADB24 XX		24V/12.5A Max; 5Vsb/0.5A	300W
MDS-300ABB24 XX		24V/12.5A Max; 5Vsb/0.5A	300W
MDS-300APB18 XX		18Vdc/16.66A Max; 5Vsb/0.5A	300W
MDS-300ADB18 XX		18Vdc/16.66A Max; 5Vsb/0.5A	300W
MDS-250APB12 XX		12Vdc/20.83A max; 5Vsb/0.5A	250W
MDS-250ADB12 XX		12Vdc/20.83A max; 5Vsb/0.5A	250W
MDS-300APB12 XX		12Vdc/25A max; 5Vsb/0.5A	300W
MDS-300ADB12 XX		12Vdc/25A max; 5Vsb/0.5A	300W
MDS-300APB48 XX		48Vdc/ 6.25A max; 5Vsb/0.5A	300W
MDS-300ADB48 XX		48Vdc/ 6.25A max; 5Vsb/0.5A	300W

注：①型号中，“X”代表数字0-9或字母A-Z或空白，其电气特性皆相同，仅为区别客户不同，不影响安全及电磁兼容性；
②产品销售时不配备电线组件，仅适用于海拔5000米及以下；



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2023010907522808

Valid from: Dec.06,2023

Valid until: Feb.05,2028

NAME AND REGISTERED ADDRESS OF THE APPLICANT Delta Electronics, Inc.
No. 31-1, Xingbang Road, Shanding Village, Guishan District, Taoyuan City 333613, Taiwan

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER Delta Electronics, Inc.
No. 31-1, Xingbang Road, Shanding Village, Guishan District, Taoyuan City 333613, Taiwan

NAME AND LOCATION OF THE FACTORY Delta Electronics (Dongguan) Co., Ltd. Southwest Branch.
No.33, Pantao Road, Shijie Town, Dongguan, Guangdong 523308, P. R. China

PRODUCT MODEL(S) SWITCHING POWER SUPPLY
See Appendix(Excluding cord set for sale, Altitude up to 5000m)

STANDARDS AND TECHNICAL REQUIREMENTS GB 17625.1-2022;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Feb.06,2023

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023010907522808

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输入	输出	最大输出功率
MDS-250APB24 XX	200V-240VAC, 4A, 50-60Hz	24Vdc/10.41 A Max, 5Vsb/0.5A	250W
MDS-250ADB24 XX		24Vdc/10.41 A Max, 5Vsb/0.5A	250W
MDS-300APB24 XX		24V/12.5A Max; 5Vsb/0.5A	300W
MDS-300ADB24 XX		24V/12.5A Max; 5Vsb/0.5A	300W
MDS-300ABB24 XX		24V/12.5A Max; 5Vsb/0.5A	300W
MDS-300APB18 XX		18Vdc/16.66A Max; 5Vsb/0.5A	300W
MDS-300ADB18 XX		18Vdc/16.66A Max; 5Vsb/0.5A	300W
MDS-250APB12 XX		12Vdc/20.83A max; 5Vsb/0.5A	250W
MDS-250ADB12 XX		12Vdc/20.83A max; 5Vsb/0.5A	250W
MDS-300APB12 XX		12Vdc/25A max; 5Vsb/0.5A	300W
MDS-300ADB12 XX		12Vdc/25A max; 5Vsb/0.5A	300W
MDS-300APB48 XX		48Vdc/ 6.25A max; 5Vsb/0.5A	300W
MDS-300ADB48 XX		48Vdc/ 6.25A max; 5Vsb/0.5A	300W

注：①型号中，“X”代表数字0-9或字母A-Z或空白，其电气特性皆相同，仅为区别客户不同，不影响安全及电磁兼容性；

②产品销售时不配备电线组件，仅适用于海拔5000米及以下；



CHINA QUALITY CERTIFICATION CENTRE