



中国国家强制性产品认证证书

证书编号: 2022010907505576

发证日期: 2023年07月18日
有效期至: 2027年10月25日

认证委托人名称 及注册地址	台达电子工业股份有限公司 台湾桃园市龟山区山顶里兴邦路 31 之 1 号
产品生产者名称 及注册地址	台达电子工业股份有限公司 台湾桃园市龟山区山顶里兴邦路 31 之 1 号
生产企业名称 及生产地址	台达电子(东莞)有限公司西南分公司 中国广东省东莞市石碣镇蟠桃路 33 号
产品名称和系列、 规格、型号	开关电源 见附件; 不带电线组件销售, 仅适用于海拔 5000 米及以下
产品标准和 技术要求	GB 17625.1-2022 (A类); GB 4943.1-2022; GB/T 9254.1-2021

上述产品符合 CNCA-C09-01:2014 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书, 证书首次颁发日期: 2022 年 10 月 26 日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

证书编号：2022010907505576

第 1 页 / 共 1 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

型号：

- 1) PMT-12V100W2BA
- 2) PMT-15V100W2BA
- 3) PMT-24V100W2BA
- 4) PMT-30V100W2BA
- 5) PMT-36V100W2BA
- 6) PMT-48V100W2BA

规格：

输入：

200-240VAC 50-60Hz 2.3A

输出：

- 1) 12Vdc/7.65A(输入 100V-114V),12Vdc/8.5A(输入 115V-240V)
- 2) 15Vdc/6.3A(输入 100V-114V),15Vdc/7.0A(输入 115V-240V)
- 3) 24Vdc/4.05A(输入 100V-114V),24Vdc/4.5A(输入 115V-240V)
- 4) 30Vdc/3.24A(输入 100V-114V),30Vdc/3.6A(输入 115V-240V)
- 5) 36Vdc/2.7A(输入 100V-114V),36Vdc/3.0A(输入 115V-240V)
- 6) 48Vdc/2.07A(输入 100V-114V),48Vdc/2.3A(输入 115V-240V)



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022010907505576

Valid from: Jul.18,2023

Valid until: Oct.25,2027

NAME AND REGISTERED ADDRESS OF THE APPLICANT Delta Electronics, Inc.
31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan City 33370, Taiwan

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER Delta Electronics, Inc.
31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan City 33370, Taiwan

NAME AND LOCATION OF THE FACTORY Delta Electronics (Dongguan) Co., Ltd. Southwest Branch.
No.33, Pantao Road, Shijie Town, Dongguan, Guangdong 523308, P. R. China

PRODUCT MODEL(S) SWITCHING POWER SUPPLY
See Appendix; Sale without cord set, Altitude up to 5000m

STANDARDS AND TECHNICAL REQUIREMENTS GB 17625.1-2022 (Class A) ;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Oct.26,2022

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022010907505576

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

- 1) PMT-12V100W2BA
- 2) PMT-15V100W2BA
- 3) PMT-24V100W2BA
- 4) PMT-30V100W2BA
- 5) PMT-36V100W2BA
- 6) PMT-48V100W2BA

Input :

200-240VAC 50-60Hz 2.3A

Output :

- 1) 12Vdc/7.65A(input 100V-114V),12Vdc/8.5A(input 115V-240V)
- 2) 15Vdc/6.3A(input 100V-114V),15Vdc/7.0A(input 115V-240V)
- 3) 24Vdc/4.05A(input 100V-114V),24Vdc/4.5A(input 115V-240V)
- 4) 30Vdc/3.24A(input 100V-114V),30Vdc/3.6A(input 115V-240V)
- 5) 36Vdc/2.7A(input 100V-114V),36Vdc/3.0A(input 115V-240V)
- 6) 48Vdc/2.07A(input 100V-114V),48Vdc/2.3A(input 115V-240V)



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

变更结论 Modification Approval

证书编号 Certificate No. : 2022010907505576

申请编号 Application No. : A2023CCC0907-4184093

申请人(委托人) Applicant: 台达电子工业股份有限公司 / Delta Electronics, Inc.

证书编号 Certificate No.(变更前 Original): 2022010907505576

变更产品名称: 开关电源

Name of Product Modified: SWITCHING POWER SUPPLY

变更情况 Situation of Modification (见下表 See table below) :

序号	项目 Item	变更前 Original	变更后 Present
1	更新 EMC 试验标准	GB17625.1-2012	GB17625.1-2022
2	变更输入规格	100-240VAC	200-240VAC
3	更新委托人及生产者地址	台湾桃园县龟山乡山顶村兴邦路 31 之 1 号	台湾桃园市龟山区山顶里兴邦路 31 之 1 号
4	增加报备印制板基材	详见原报告(申请编号: A2023CCC0907-4121147 报告号: 13001-20230201C04832XG1-P-S) 关键件清单	详见本次报告(申请编号: A2023CCC0907-4184093 报告号: 13001-20230501C14757-P-S) 关键件清单

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期(Date): 2023年07月18日

第1页 / 共2页

签发: 谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

变更结论 Modification Approval

证书编号 Certificate No. : 2022010907505576

第 2 页 / 共 2 页

签发：谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2022010907505576

发证日期: 2023年03月20日
有效期至: 2027年10月25日

认证委托人名称 及注册地址	台达电子工业股份有限公司 台湾桃园县龟山乡山顶村兴邦路 31 之 1 号
产品生产者名称 及注册地址	台达电子工业股份有限公司 台湾桃园县龟山乡山顶村兴邦路 31 之 1 号
生产企业名称 及生产地址	台达电子(东莞)有限公司西南分公司 中国广东省东莞市石碣镇蟠桃路 33 号
产品名称和系列、 规格、型号	开关电源 见附件; 不带电线组件销售, 仅适用于海拔 5000 米及以下
产品标准和 技术要求	GB 17625.1-2012;GB 4943.1-2022;GB/T 9254.1-2021

上述产品符合 CNCA-C09-01:2014 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书, 证书首次颁发日期: 2022 年 10 月 26 日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

证书编号: 2022010907505576

第 1 页 共 1 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号:

- 1) PMT-12V100W2BA
- 2) PMT-15V100W2BA
- 3) PMT-24V100W2BA
- 4) PMT-30V100W2BA
- 5) PMT-36V100W2BA
- 6) PMT-48V100W2BA

规格:

输入:

100-240VAC 50-60Hz 2.3A

输出:

- 1) 12Vdc/7.65A (输入 100V-114V), 12Vdc/8.5A (输入 115V-240V)
- 2) 15Vdc/6.3A (输入 100V-114V), 15Vdc/7.0A (输入 115V-240V)
- 3) 24Vdc/4.05A (输入 100V-114V), 24Vdc/4.5A (输入 115V-240V)
- 4) 30Vdc/3.24A (输入 100V-114V), 30Vdc/3.6A (输入 115V-240V)
- 5) 36Vdc/2.7A (输入 100V-114V), 36Vdc/3.0A (输入 115V-240V)
- 6) 48Vdc/2.07A (输入 100V-114V), 48Vdc/2.3A (输入 115V-240V)



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022010907505576

Valid from: Mar.20,2023

Valid until: Oct.25,2027

NAME AND REGISTERED ADDRESS OF THE APPLICANT Delta Electronics, Inc.
31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan County 33370, Taiwan

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER Delta Electronics, Inc.
31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan County 33370, Taiwan

NAME AND LOCATION OF THE FACTORY Delta Electronics (Dongguan) Co., Ltd. Southwest Branch.
No.33, Pantao Road, Shijie Town, Dongguan, Guangdong 523308, P. R. China

PRODUCT MODEL(S) SWITCHING POWER SUPPLY
See Appendix; Sale without cord set, Altitude up to 5000m

STANDARDS AND TECHNICAL REQUIREMENTS GB 17625.1-2012;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Oct.26,2022

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022010907505576

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

- 1) PMT-12V100W2BA
- 2) PMT-15V100W2BA
- 3) PMT-24V100W2BA
- 4) PMT-30V100W2BA
- 5) PMT-36V100W2BA
- 6) PMT-48V100W2BA

Input:

100-240VAC 50-60Hz 2.3A

Output:

- 1) 12Vdc/7.65A (input 100V-114V), 12Vdc/8.5A (input 115V-240V)
- 2) 15Vdc/6.3A (input 100V-114V), 15Vdc/7.0A (input 115V-240V)
- 3) 24Vdc/4.05A (input 100V-114V), 24Vdc/4.5A (input 115V-240V)
- 4) 30Vdc/3.24A (input 100V-114V), 30Vdc/3.6A (input 115V-240V)
- 5) 36Vdc/2.7A (input 100V-114V), 36Vdc/3.0A (input 115V-240V)
- 6) 48Vdc/2.07A (input 100V-114V), 48Vdc/2.3A (input 115V-240V)



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

变更结论 Modification Approval

证书编号 Certificate No. : 2022010907505576

申请编号 Application No. : A2023CCC0907-4121147

申请人(委托人) Applicant: 台达电子工业股份有限公司 / Delta Electronics, Inc.

证书编号 Certificate No.(变更前 Original): 2022010907505576

变更产品名称: 开关电源

Name of Product Modified: SWITCHING POWER SUPPLY

变更情况 Situation of Modification (见下表 See table below) :

序号	项目 Item	变更前 Original	变更后 Present
1	1.更新安全试验标准	GB4943.1-2011 《信息技术设备安全第1部分通用要求》	GB 4943.1-2022 《音视频、信息技术和通信技术设备第1部分:安全要求》
2	2.更新 EMC 标准	GB/T9254-2008 《信息技术设备的无线电骚扰限值和测量方法》	GB/T9254.1-2021 《信息技术设备、多媒体设备和接收机电磁兼容第一部分:发射要求》
3	3.安全关键件补充报备绝缘垫片	无	详见本次报告(申请编号: A2023CCC0907-4121147 报告号: 13001-20230201C04382XG1-P-S) 关键件清单

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期(Date): 2023年03月20日

第1页 / 共1页

签发: 谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

证书编号: 2022010907505576

发证日期: 2022年10月26日

有效期至: 2027年10月25日

认证委托人名称 及注册地址	台达电子工业股份有限公司 台湾桃园县龟山乡山顶村兴邦路 31 之 1 号
产品生产者名称 及注册地址	台达电子工业股份有限公司 台湾桃园县龟山乡山顶村兴邦路 31 之 1 号
生产企业名称 及生产地址	台达电子(东莞)有限公司西南分公司 中国广东省东莞市石碣镇蟠桃路 33 号
产品名称和系列、 规格、型号	开关电源 见附件; 不带电线组件销售, 仅适用于海拔 5000 米及以下
产品标准和 技术要求	GB 17625.1-2012;GB 4943.1-2011;GB/T 9254.1-2021

上述产品符合 CNCA-C09-01:2014 认证规则的要求, 特发此证。

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

证书编号: 2022010907505576

第 1 页 共 1 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号:

- 1) PMT-12V100W2BA
- 2) PMT-15V100W2BA
- 3) PMT-24V100W2BA
- 4) PMT-30V100W2BA
- 5) PMT-36V100W2BA
- 6) PMT-48V100W2BA

规格:

输入:

100-240VAC 50-60Hz 2.3A

输出:

- 1) 12Vdc/7.65A (输入 100V-114V), 12Vdc/8.5A (输入 115V-240V)
- 2) 15Vdc/6.3A (输入 100V-114V), 15Vdc/7.0A (输入 115V-240V)
- 3) 24Vdc/4.05A (输入 100V-114V), 24Vdc/4.5A (输入 115V-240V)
- 4) 30Vdc/3.24A (输入 100V-114V), 30Vdc/3.6A (输入 115V-240V)
- 5) 36Vdc/2.7A (输入 100V-114V), 36Vdc/3.0A (输入 115V-240V)
- 6) 48Vdc/2.07A (输入 100V-114V), 48Vdc/2.3A (输入 115V-240V)



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022010907505576

Valid from: Oct.26,2022

Valid until: Oct.25,2027

NAME AND REGISTERED ADDRESS OF THE APPLICANT Delta Electronics, Inc.
31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan County 33370, Taiwan

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER Delta Electronics, Inc.
31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan County 33370, Taiwan

NAME AND LOCATION OF THE FACTORY Delta Electronics (Dongguan) Co., Ltd. Southwest Branch.
No.33, Pantao Road, Shijie Town, Dongguan, Guangdong 523308, P. R. China

PRODUCT MODEL(S) SWITCHING POWER SUPPLY
See Appendix; Sale without cord set, Altitude up to 5000m

STANDARDS AND TECHNICAL REQUIREMENTS GB 17625.1-2012;GB 4943.1-2011;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022010907505576

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

- 1) PMT-12V100W2BA
- 2) PMT-15V100W2BA
- 3) PMT-24V100W2BA
- 4) PMT-30V100W2BA
- 5) PMT-36V100W2BA
- 6) PMT-48V100W2BA

Input:

100-240VAC 50-60Hz 2.3A

Output:

- 1) 12Vdc/7.65A (input 100V-114V), 12Vdc/8.5A (input 115V-240V)
- 2) 15Vdc/6.3A (input 100V-114V), 15Vdc/7.0A (input 115V-240V)
- 3) 24Vdc/4.05A (input 100V-114V), 24Vdc/4.5A (input 115V-240V)
- 4) 30Vdc/3.24A (input 100V-114V), 30Vdc/3.6A (input 115V-240V)
- 5) 36Vdc/2.7A (input 100V-114V), 36Vdc/3.0A (input 115V-240V)
- 6) 48Vdc/2.07A (input 100V-114V), 48Vdc/2.3A (input 115V-240V)



CHINA QUALITY CERTIFICATION CENTRE