


PJB PJB Open Frame Power Supply


24V 300W 1 Phase / PJB24V300W□□A

■ Open Frame



NOTES:

1. MARKED *MARK MUST BE INSPECTED AND CONTROLLED STRICTLY BY QA.
2. PRODUCT SURFACE SHOULD BE CLEAN, NO DENT AND FREE FROM TOOLING MARK.
3. THE DIAMETER OF METAL MOUNTING BLOTS UNDER THE BOARD MUST BE SMALLER THAN 7.0 mm





ITEM	PART NAME	REMARKS
1	INPUT CONNECTOR JST B3PS-VH (LF)(SN)	WHITE
2	OUTPUT CONNECTOR (V-) JST B7P-VH (LF)(SN)	WHITE
3	OUTPUT CONNECTOR (V-) JST B6P-VH (LF)(SN)	WHITE
4	OUTPUT CONNECTOR (V-) JST B2B-XH-A(LF)(SN)	WHITE
5	VR	----
6	PWB (1.6t)	NATURE
7	SPEC LABEL	WHITE

PJB PJB Open Frame Power Supply

24V 300W 1 Phase / PJB24V300W□□A

■ L Frame



NOTES:


1. MARKED *MARK MUST BE INSPECTED AND CONTROLLED STRICTLY BY QA.
2. PRODUCT SURFACE SHOULD BE CLEAN, NO DENT AND FREE FROM TOOLING MARK.
3. ENGRAVING ON CHASSIS MUST BE VISIBLE.

ITEM	PART NAME	REMARKS
1	INPUT CONNECTOR JST B3P5-VH (LF)(SN)	WHITE
2	OUTPUT CONNECTOR (V-) JST B7P-VH (LF)(SN)	WHITE
3	OUTPUT CONNECTOR (V+) JST B6P-VH (LF)(SN)	WHITE
4	REMOTE ON/OFF CONTROL (OPTION) JST B2B-XH-A(LF)(SN)	WHITE
5	VR	----
6	CHASSIS	NATURE
7	RATING LABEL	WHITE

PJB PJB Open Frame Power Supply

24V 300W 1 Phase / PJB24V300W□□A

■ Enclosed



NOTES:

1. MARKED *MARK MUST BE INSPECTED AND CONTROLLED STRICTLY BY QA.
2. PRODUCT SURFACE SHOULD BE CLEAN, NO DENT AND FREE FROM TOOLING MARK.
3. ENGRAVING ON CHASSIS MUST BE VISIBLE.

ITEM	PART NAME	REMARKS
1	INPUT CONNECTOR JST B3P5-VH (LF)(SN)	WHITE
2	OUTPUT CONNECTOR (V-) JST B7P-VH (LF)(SN)	WHITE
3	OUTPUT CONNECTOR (V+) JST B6P-VH (LF)(SN)	WHITE
4	REMOTE ON/OFF CONTROL (OPTION) JST B2B-XH-A(LF)(SN)	WHITE
5	VR	----
6	CHASSIS	NATURE
7	COVER	NATURE
8	RATING LABEL	WHITE