

Delta Electronics, Inc.

Date : 08.10.2019
Our ref. : ZTW1
Your ref.: MEG-1K2A4

3 Tungyuan Road
Chungli Industrial Zone
Taoyuan County 32063
Taiwan

Ref : R TÜV-Mark Approval

Type of Equipment : SWITCHING POWER SUPPLY
Model Designation : See Certificate
Certificate No. : R 50440014 0002
Report No. : 50237166 002

Dear Ladies and Gentlemen,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.

Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body



Dipl.-Ing. (FH) A. Klinker

Enclosure

TÜV RHEINLAND TAIWAN LTD.

11F., No. 758, Sec. 4, Bade Rd.,
Songshan Dist., Taipei City 105,
Taiwan R. O. C.
Tel. (02) 2172-7000
Fax (02) 2172-1322
<http://www.tuv.com>

TAICHUNG BRANCH:
No. 9, Lane 36, Sec. 3, Minsheng Rd.,
Daya Dist., Taichung City 428,
Taiwan, R. O. C.
Tel. (04) 2521-8888
Fax (04) 2521-8899

KAOSIUNG BRANCH:
27F-3, No.80, Minzu 1st Rd.,
Sanmin Dist., Kaohsiung City 807,
Taiwan, R. O. C.
Tel. (07) 262-6000
Fax (07) 380-0577

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50440014

Blatt *Sheet*
0002

Ihr Zeichen *Client Reference*
MEG-1K2A4

Unser Zeichen *Our Reference*
ZTW1--50237166 002

Ausstellungsdatum
08.10.2019

Date of Issue
(day/mo/yr)

Genehmigungsinhaber *License Holder*
Delta Electronics, Inc.
3 Tungyuan Road
Chungli Industrial Zone
Taoyuan County 32063
Taiwan

Fertigungsstätte *Manufacturing Plant*
Delta Electronics (Jiangsu) Ltd.
No. 1688, Jiangxing East Road,
Wujiang Economic and
Technological Development Zone,
Suzhou City, Jiangsu Province 215200
P. R. China

Prüfzeichen *Test Mark*



Regelmäßige
Produktions-
überwachung
Sicherheit
Bauart geprüft

www.tuv.com
ID 1419070458

Geprüft nach *Tested acc. to*

EN 60601-1:2006+A11+A1+A12
IEC 60601-1:2005+A1

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Einbauschaltnetzteil (SWITCHING POWER SUPPLY)

Wie Blatt (As Page) 01

Änderung (Change)

X steht für : T, E oder (or) C
(stands for)

YY steht für : A1 bis (to) W1, DD bis (to) QQ,
(stands for) H2 bis (to) W2 oder (or) NU

Ausgänge : siehe Anlage
(Outputs) (see Appendix)

ANLAGE (Appendix): 2

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Zertifizierungsstelle



Dipl.-Ing. (FH) A. Klinker

Delta Electronics, Inc.
Ms. Candy Lee Manager
MPBG
3 Tungyuan Road
Chungli Industrial Zone
Taoyuan County 32063
Taiwan

Date : 23.07.2019
Our ref. : ZTW1
Your ref.: MPBU-102P-201811008

Ref : R TÜV-Mark Approval

Type of Equipment : SWITCHING POWER SUPPLY
Model Designation : See Certificate
Certificate No. : R 50440014 0001
Report No. : 50237166 001

Dear Ms. Candy Lee,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.

Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body



Dipl.-Ing. (FH) A. Klinker

Enclosure

TÜV RHEINLAND TAIWAN LTD.

11F., No. 758, Sec. 4, Bade Rd.,
Songshan Dist., Taipei City 105,
Taiwan R. O. C.
Tel. (02) 2172-7000
Fax (02) 2172-1322
<http://www.tuv.com>

TAICHUNG BRANCH:
No. 9, Lane 36, Sec. 3, Minsheng Rd.,
Daya Dist., Taichung City 428,
Taiwan, R. O. C.
Tel. (04) 2521-8888
Fax (04) 2521-8899

KAOSIUNG BRANCH:
27F-3, No.80, Minzu 1st Rd.,
Sanmin Dist., Kaohsiung City 807,
Taiwan, R. O. C.
Tel. (07) 262-6000
Fax (07) 380-0577

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.* Blatt *Sheet*
R 50440014 0001

Ihr Zeichen *Client Reference* Unser Zeichen *Our Reference* Ausstellungsdatum *Date of Issue*
MPBU-102P-201811008 ZTW1--50237166 001 23.07.2019 (day/mo/yr)

Genehmigungsinhaber *License Holder*
Delta Electronics, Inc.
3 Tungyuan Road
Chungli Industrial Zone
Taoyuan County 32063
Taiwan

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*



Regelmäßige
Produktions-
überwachung
Sicherheit
Bauart geprüft

www.tuv.com
ID 1419070458

Geprüft nach *Tested acc. to*
EN 60601-1:2006+A11+A1+A12
IEC 60601-1:2005+A1

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Einbauschaltnetzteil (SWITCHING POWER SUPPLY)

Bezeichnung	: MEG-1K2A4 (für Gehäusemodul) (for Cage)	10
(Type Designation)	MEG-1K2A4X YY-YY-YY-YY ZZZZZ (für Ausgangsmodule) (for output modules)	1
X steht für	: T oder (or) C	1
(stands for)		
YY steht für	: A1 bis (to) W1 und (and) NU	1
(stands for)		
Z steht für	: 0-9	1
(stands for)		
Nennspannungen	: 1) AC 100-120V, 50-60Hz	
(Rated Voltages)	2) AC 200-240V, 50-60Hz	
Nennströme	: 1) 8.5-8A	
(Rated Currents)	2) 7-5.5A	
Ausgänge	: siehe Anlage	
(Outputs)	(see Appendix)	
Schutzklasse (Protection Class)	: I	
Max. Betriebshöhe (Max. Operating Altitude)	: 5000m	
Max. Umgebungstemperatur (Max. Ambient Temperature):	50°C	

14

ANLAGE (Appendix): 1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Zertifizierungsstelle



Dipl.-Ing. (FH) A. Klinker

Anlage Fertigungsstättenliste
/Attachment List of Factories



R 50440014 0001

1 Delta Electronics (Jiangsu) Ltd.
No. 1688, Jiangxing East Road,
Wujiang Economic and
Technological Development Zone,
Suzhou City, Jiangsu Province 215200
P. R. China

2 Delta Electronics (Thailand)
Public Co., Ltd.
909 Soi 9 Moo 4, Bangpoo Industrial
Estate (E.P.Z.), Pattana 1 Rd.
Tambol Phraksa, Amphur Muang,
Samutprakarn 10280
Thailand

3 Delta Electronics Power
(Dongguan) Co., Ltd.
Delta Industrial Estate
Shijie Town, Dongguan City
Guangdong Province 523308
P. R. China

Dieser Anhang ersetzt den Vorgänger vom/
This annex replaces the previous annex dated

Datum / Date 23.07.2019



Zertifizierungsstelle
/ Certification Body

A handwritten signature in blue ink, appearing to be "A. Klinker".

Dipl.-Ing. (FH) A. Klinker

Delta Electronics, Inc.
Mr. Bo Yang Liao Regulatory and
Reliability Engineer
Power System Business Group
3 Tungyuan Road
Chungli Industrial Zone
Taoyuan County 32063
Taiwan, R.O.C.

Date : 26.09.2019
Our ref. : HCY ZTW2
Your ref.: EISBG-102P-201904002

Ref : R TÜV-Mark Approval

Type of Equipment : Switching Power Supply (for building in)
Model Designation : See Certificate
Certificate No. : R 50435091 0003
Report No. : 50231399 002

Dear Mr. Bo Yang Liao,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.

Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body


Dipl.-Ing. F. Stoeitzel

Enclosure

TÜV RHEINLAND TAIWAN LTD.

11F., No. 758, Sec. 4, Bade Rd.,
Songshan Dist., Taipei City 105,
Taiwan R. O. C.
Tel. (02) 2172-7000
Fax (02) 2172-1322
<http://www.tuv.com>

TAICHUNG BRANCH:
No. 9, Lane 36, Sec. 3, Minsheng Rd.,
Daya Dist., Taichung City 428,
Taiwan, R. O. C.
Tel. (04) 2521-8888
Fax (04) 2521-8899

KAOHSIUNG BRANCH:
27F-3, No.80, Minzu 1st Rd.,
Sanmin Dist., Kaohsiung City 807,
Taiwan, R. O. C.
Tel. (07) 262-6000
Fax (07) 380-0577

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50435091

Blatt *Sheet*
0003

Ihr Zeichen <i>Client Reference</i>	Unser Zeichen <i>Our Reference</i>	Ausstellungsdatum	<i>Date of Issue</i>
EISBG-102P-201904002	ZTW2-HCY-50231399 002	26.09.2019	(day/mo/yr)

Genehmigungsinhaber *License Holder*
Delta Electronics, Inc.
3 Tungyuan Road
Chungli Industrial Zone
Taoyuan County 32063
Taiwan, R.O.C.

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419068507

Geprüft nach *Tested acc. to*

EN 60950-1:2006+A11+A1+A12+A2

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

Lizenzentgelte - Einheit *License Fee - Unit*

Einbau-Schaltnetzteil (SWITCHING POWER SUPPLY)

Wie Blatt (As Page) 01

Änderung für Bezeichnung : MEG-1K2A4X YY-YY-YY-YY ZZZZZ
(Change for Type Designation)

Bezeichnung : MEG-1K2A4X YY-YY-YY-YY zzzzz (für 1
(Type Designation) Ausgangsmodule) (for output modules)

X steht für : E, T oder(or) C
(stands for)

YY steht für : siehe Anlage
(stands for) (See Appendix)

zzzzz steht für : siehe Anlage
(stands for) (See Appendix)

1


ANLAGE (Appendix): 1.1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.

This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety



Delta Electronics, Inc.
Mr. Jerry Chang Principal Engineer
MPBG
3 Tungyuan Road
Chungli Industrial Zone
Taoyuan County 32063
Taiwan, R.O.C.

Date : 15.05.2019
Our ref. : HCY ZTW2
Your ref.: MPBU-102P-201811008

Ref : R TÜV-Mark Approval

Type of Equipment : SWITCHING POWER SUPPLY
Model Designation : See Certificate
Certificate No. : R 50435091 0001
Report No. : 50231399 001

Dear Mr. Jerry Chang,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.


Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body



Dipl.-Ing. Th. Illing

Enclosure

TÜV RHEINLAND TAIWAN LTD.

11F., No. 758, Sec. 4, Bade Rd.,
Songshan Dist., Taipei City 105,
Taiwan R. O. C.
Tel. (02) 2172-7000
Fax (02) 2172-1322
<http://www.tuv.com>

TAICHUNG BRANCH:
No. 9, Lane 36, Sec. 3, Minsheng Rd.,
Daya Dist., Taichung City 428,
Taiwan, R. O. C.
Tel. (04) 2521-8888
Fax (04) 2521-8899

KAOSIUNG BRANCH:
27F-3, No.80, Minzu 1st Rd.,
Sanmin Dist., Kaohsiung City 807,
Taiwan, R. O. C.
Tel. (07) 262-6000
Fax (07) 380-0577

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50435091

Blatt *Sheet*
0001

Ihr Zeichen <i>Client Reference</i>	Unser Zeichen <i>Our Reference</i>	Ausstellungsdatum	<i>Date of Issue</i>
MPBU-102P-201811008	ZTW2-HCY-50231399 001	15.05.2019	(day/mo/yr)

Genehmigungsinhaber *License Holder*
Delta Electronics, Inc.
3 Tungyuan Road
Chungli Industrial Zone
Taoyuan County 32063
Taiwan, R.O.C.

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419068507

Geprüft nach *Tested acc. to*

EN 60950-1:2006+A11+A1+A12+A2

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Einbau-Schaltnetzteil (SWITCHING POWER SUPPLY)

Bezeichnung (Type Designation)	: MEG-1K2A4 (für Gehäusemodul) (for Cage)	10
	: MEG-1K2A4X YY-YY-YY-YY ZZZZZ (für Ausgangsmodule) (for output modules)	1
X steht für (stands for)	: T oder(or) C	1
YY steht für (stands for)	: siehe Anlage (See Appendix)	1
ZZZZZ steht für (stands for)	: 0-9	1
Nennspannungen (Rated Voltages)	: 1) AC 100-120V, 50-60Hz 2) AC 200-240V, 50-60Hz	
Nennströme (Rated Currents)	: 1) 8.5-8A 2) 7-5.5A	
Ausgänge (Outputs)	: siehe Anlage (see Appendix)	

Fortsetzung auf Blatt (Continued on Page) 02



14

ANLAGE (Appendix): 1.0

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Dipl.-Ing. Th. Illing

Anlage Fertigungsstättenliste
/Attachment List of Factories



R 50435091 0001

1 Delta Electronics (Jiangsu) Ltd.
No. 1688, Jiangxing East Road,
Wujiang Economic and
Technological Development Zone,
Suzhou City, Jiangsu Province 215200
P. R. China

2 Delta Electronics (Thailand)
Public Co., Ltd.
909 Soi 9 Moo 4, Bangpoo Industrial
Estate (E.P.Z.), Pattana 1 Rd.
Tambol Phraksa, Amphur Muang,
Samutprakarn 10280
Thailand

3 Delta Electronics Power
(Dongguan) Co., Ltd.
Delta Industrial Estate
Shijie Town, Dongguan City
Guangdong Province 523308
P. R. China



Dieser Anhang ersetzt den Vorgänger vom/
This annex replaces the previous annex dated

Datum / Date 15.05.2019

Zertifizierungsstelle
/ Certification Body

A handwritten signature in blue ink, appearing to read "Th. Iling".

Dipl.-Ing. Th. Iling

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50435091

Blatt *Sheet*
0002

Ihr Zeichen *Client Reference*
MPBU-102P-201811008

Unser Zeichen *Our Reference*
ZTW2-HCY-50231399 001

Ausstellungsdatum *Date of Issue*
15.05.2019
(day/mo/yr)

Genehmigungsinhaber *License Holder*
Delta Electronics, Inc.
3 Tungyuan Road
Chungli Industrial Zone
Taoyuan County 32063
Taiwan, R.O.C.

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419068507

Geprüft nach *Tested acc. to*

EN 60950-1:2006+A11+A1+A12+A2

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Einbau-Schaltnetzteil (SWITCHING POWER SUPPLY)

Wie Blatt (As Page) 01
Fortsetzung (Continuation)

Schutzklasse : I
(Protection Class)
Max. Betriebshöhe : 5000m
(Max. Operating Altitude)
Max. Umgebungstemperatur : 50°C



ANLAGE (Appendix): 1.0

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

Zertifizierungsstelle

Dipl.-Ing. Th. Illing

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety