

Australia and New Zealand Certificate of Suitability- addendum

Certificate
ULL-103535 -A1

Issue date
2024-11-28

Expiration date
2029-08-29



www.jasanz.org/register

This is to acknowledge that

DELTA ELECTRONICS INC

3 Tungyuan Road
Chungli Industrial Zone, Taoyuan City 32063
Taiwan

has had

Independent LED Controlgear

[refer following page(s) for models list]

evaluated and meets the requirements of the standard(s)

AS 61347.2.13:2018;
AS/NZS 61347.1:2016+A1

ANZ Certification Scheme requirements.



Stuart Foster (Certification Officer)

Certification Body:
UL International New Zealand Limited,
54 Tarndale Grove, Albany, Auckland 0632, New Zealand.

Issued for use in Australia and New Zealand only.
All dates are in Year-Month-Day format (YYYY-MM-DD).

Australia and New Zealand Certificate of Suitability-addendum

Certificate No: ULL-103535 -A1

Original Date of Certification: 2024-08-29

Date of Issue/Revision: 2024-11-28

Trade Name or Trademark: DELTA

Risk Class / NSW Declared Class: EESS OUT OF SCOPE - Non-prescribed / non-declared - Commercial (not certified for residential or household use)

IEC Standard Country Differences: AU and NZ

Certification Marking: The RCM may be applied to the product and all the requirements of all relevant parts of AS/NZS 4417 applicable to the article shall be fulfilled.

Additional Certification Conditions: None.

Model Details:

Model Name
EUCO-1K2120RCAXX
EUCO-1K2120RDAXX
EUCO-1K2120RIAXX
EUCO-1K2200GCAXX
EUCO-1K6200GCAXX
EUCO-1K8200GCAXX
LNA-1K2B20ABFGBXX
LNA-1K2D12ABFDBXX
LNA-1K2D12ABFFBXX
LNA-1K2D12ABFGBXX
LNA-1K6C20ABFGBXX
LNA-1K8C20ABFGBXX

Additional Information:

Details of addendum :

New models added :

EUCO-1K2120RCAXX, LNA-1K2D12ABFGBXX, EUCO-1K2120RDAXX, LNA-1K2D12ABFDBXX,
EUCO-1K2120RIAXX, LNA-1K2D12ABFFBXX

(X=0-9, A-Z or blank)

Ratings :

EUCO-1K8200GCAXX, LNA-1K8C20ABFGBXX:

Input: 208-480 V~ 50/60 Hz 9-3.8 A $\lambda > 0.95$ 1880W(Max)

Output (3 independent channels):

150-550 V $U_{out} = 600$ V max (No load),

700-2000 mA Constant current output 1800 W max.

Uaux: +24V 125 mA

EUCO-1K6200GCAXX, LNA-1K6C20ABFGBXX:

Input: 208-480 V~ 50/60 Hz 8.5-3.4 A $\lambda > 0.95$ 1720W(Max)

Output (3 independent channels):

150-550 V $U_{out} = 600$ V max (No load),

700-2000 mA Constant current output 1650 W max.

Uaux: +24V 125 mA

EUCO-1K2200GCAXX, LNA-1K2B20ABFGBXX:

Input: 208-480 V~ 50/60 Hz 6-2.75 A $\lambda > 0.95$ 1260W(Max)

Output (2 independent channels):

150-550 V $U_{out} = 600$ V max (No load),

700-2000 mA Constant current output 1200 W max.

Uaux: +24V 125 mA



Australia and New Zealand Certificate of Suitability-addendum

Certificate No: ULL-103535 -A1

Original Date of Certification: 2024-08-29

Date of Issue/Revision: 2024-11-28

Ratings (continued):

EUCO-1K2120RCAXX, LNA-1K2D12ABFGBXX,

EUCO-1K2120RDAXX, LNA-1K2D12ABFDBXX,

EUCO-1K2120RIAXX, LNA-1K2D12ABFFBXX,

Input: 208-480 V~ 50/60 Hz 6.6-2.6 A $\lambda=0.8C-0.95$ 1260W(Max)

Output (4 independent channels):

50-370 V Uout = 450 V max (No load),

1200 mA max. Constant current output 1200 W max.

Uaux: +24V 125 mA (EUCO-1K2120RCAXX, LNA- 1K2D12ABFGBXX, EUCO-1K2120RIAXX, LNA-1K2D12ABFFBXX only

IP66, Class I