



中国国家强制性产品认证证书

证书编号: 2022010907483244

发证日期: 2023 年 12 月 12 日
有效期至: 2027 年 07 月 13 日

**认证委托人名称
及注册地址** 台达电子工业股份有限公司
台湾桃园市龟山区山顶里兴邦路 31 之 1 号

**产品生产者名称
及注册地址** 台达电子工业股份有限公司
台湾桃园市龟山区山顶里兴邦路 31 之 1 号

**生产企业名称
及生产地址** 台达电子(东莞)有限公司西南分公司
中国广东省东莞市石碣镇蟠桃路 33 号

**产品名称和系列、
规格、型号** 开关电源
见附件, 不带电线组件销售, 仅适用于海拔 5000 米及以下

**产品标准和
技术要求** GB 17625.1-2022(A类);GB 4943.1-2022;GB/T 9254.1-2021

上述产品符合 CNCA-C09-01:2023 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书, 证书首次颁发日期: 2022 年 07 月 14 日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

证书编号：2022010907483244

第 1 页 共 1 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

1) PMT-48V150W1AA、PMT-48V150W1AG、PMT-48V150W1AH、
PML-48V150W1AA、PML-48V150W1AG、PML-48V150W1AH

(输出：48VDC 3.3A)；

2) PMT-24V150W1AA、PMT-24V150W1AG、PMT-24V150W1AH、
PML-24V150W1AA、PML-24V150W1AG、PML-24V150W1AH、
PMT-24V150W1AC

(输出：24VDC 6.5A)；

3) PMT-12V150W1AA、PMT-12V150W1AG、PMT-12V150W1AH、
PML-12V150W1AA、PML-12V150W1AG、PML-12V150W1AH、
PMT-12V150W1AB

(输出：12VDC 12.5A)；

4) PMT-18V150W1AA、PMT-18V150W1AG、PMT-18V150W1AH、
PML-18V150W1AA、PML-18V150W1AG、PML-18V150W1AH

(输出：18VDC 8.4A)；

输入：100-120/200-240VAC 50-60Hz 3/2A



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022010907483244

Valid from: Dec.12,2023

Valid until: Jul.13,2027

NAME AND REGISTERED ADDRESS OF THE APPLICANT	Delta Electronics, Inc. No. 31-1, Xingbang Road, Shanding Village, Guishan District, Taoyuan City 333613, Taiwan
NAME AND REGISTERED ADDRESS OF THE MANUFACTURER	Delta Electronics, Inc. No. 31-1, Xingbang Road, Shanding Village, Guishan District, Taoyuan City 333613, Taiwan
NAME AND LOCATION OF THE FACTORY	Delta Electronics (Dongguan) Co., Ltd. Southwest Branch. No.33, Pantao Road, Shijie Town, Dongguan, Guangdong 523308, P. R. China
PRODUCT MODEL(S)	Switching Power Supply See Appendix , Sale without cord set , Altitude up to 5000m
STANDARDS AND TECHNICAL REQUIREMENTS	GB 17625.1-2022(Class A);GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Jul.14,2022

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022010907483244

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

1) PMT-48V150W1AA、PMT-48V150W1AG、PMT-48V150W1AH、
PML-48V150W1AA、PML-48V150W1AG、PML-48V150W1AH

(输出: 48VDC 3.3A);

2) PMT-24V150W1AA、PMT-24V150W1AG、PMT-24V150W1AH、
PML-24V150W1AA、PML-24V150W1AG、PML-24V150W1AH、
PMT-24V150W1AC

(输出: 24VDC 6.5A);

3) PMT-12V150W1AA、PMT-12V150W1AG、PMT-12V150W1AH、
PML-12V150W1AA、PML-12V150W1AG、PML-12V150W1AH、
PMT-12V150W1AB

(输出: 12VDC 12.5A);

4) PMT-18V150W1AA、PMT-18V150W1AG、PMT-18V150W1AH、
PML-18V150W1AA、PML-18V150W1AG、PML-18V150W1AH

(输出: 18VDC 8.4A);

输入: 100-120/200-240VAC 50-60Hz 3/2A



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

证书编号: 2022010907483244

发证日期: 2023 年 04 月 27 日
有效期至: 2027 年 07 月 13 日

认证委托人名称及注册地址 台达电子工业股份有限公司
台湾桃园县龟山乡山顶村兴邦路 31 之 1 号

产品生产者名称及注册地址 台达电子工业股份有限公司
台湾桃园县龟山乡山顶村兴邦路 31 之 1 号

生产企业名称及生产地址 台达电子(东莞)有限公司西南分公司
中国广东省东莞市石碣镇蟠桃路 33 号

产品名称和系列、规格、型号 开关电源
见附件, 不带电线组件销售, 仅适用于海拔 5000 米及以下

产品标准和技术要求 GB 17625.1-2012;GB 4943.1-2022;GB/T 9254.1-2021

上述产品符合 CNCA-C09-01:2014 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书, 证书首次颁发日期: 2022 年 07 月 14 日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

证书编号：2022010907483244

第 1 页 共 1 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

1) PMT-48V150W1AA、PMT-48V150W1AG、PMT-48V150W1AH、
PML-48V150W1AA、PML-48V150W1AG、PML-48V150W1AH

(输出：48VDC 3.3A)；

2) PMT-24V150W1AA、PMT-24V150W1AG、PMT-24V150W1AH、
PML-24V150W1AA、PML-24V150W1AG、PML-24V150W1AH、
PMT-24V150W1AC

(输出：24VDC 6.5A)；

3) PMT-12V150W1AA、PMT-12V150W1AG、PMT-12V150W1AH、
PML-12V150W1AA、PML-12V150W1AG、PML-12V150W1AH、
PMT-12V150W1AB

(输出：12VDC 12.5A)；

4) PMT-18V150W1AA、PMT-18V150W1AG、PMT-18V150W1AH、
PML-18V150W1AA、PML-18V150W1AG、PML-18V150W1AH

(输出：18VDC 8.4A)；

输入：100-120/200-240VAC 50-60Hz 3/2A



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022010907483244

Valid from: Apr.27,2023

Valid until: Jul.13,2027

NAME AND REGISTERED ADDRESS OF THE APPLICANT Delta Electronics, Inc.
31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan County 33370, Taiwan

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER Delta Electronics, Inc.
31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan County 33370, Taiwan

NAME AND LOCATION OF THE FACTORY Delta Electronics (Dongguan) Co., Ltd. Southwest Branch.
No.33, Pantao Road, Shijie Town, Dongguan, Guangdong 523308, P. R. China

PRODUCT MODEL(S) Switching Power Supply
See Appendix , Sale without cord set , Altitude up to 5000m

STANDARDS AND TECHNICAL REQUIREMENTS GB 17625.1-2012;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Jul.14,2022

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022010907483244

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

1) PMT-48V150W1AA、PMT-48V150W1AG、PMT-48V150W1AH、
PML-48V150W1AA、PML-48V150W1AG、PML-48V150W1AH

(输出: 48VDC 3.3A);

2) PMT-24V150W1AA、PMT-24V150W1AG、PMT-24V150W1AH、
PML-24V150W1AA、PML-24V150W1AG、PML-24V150W1AH、
PMT-24V150W1AC

(输出: 24VDC 6.5A);

3) PMT-12V150W1AA、PMT-12V150W1AG、PMT-12V150W1AH、
PML-12V150W1AA、PML-12V150W1AG、PML-12V150W1AH、
PMT-12V150W1AB

(输出: 12VDC 12.5A);

4) PMT-18V150W1AA、PMT-18V150W1AG、PMT-18V150W1AH、
PML-18V150W1AA、PML-18V150W1AG、PML-18V150W1AH

(输出: 18VDC 8.4A);

输入: 100-120/200-240VAC 50-60Hz 3/2A



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

变更结论 Modification Approval

证书编号 Certificate No. : 2022010907483244

申请编号 Application No. : A2023CCC0907-4121148

申请人(委托人) Applicant: 台达电子工业股份有限公司 / Delta Electronics, Inc.

证书编号 Certificate No.(变更前 Original): 2022010907483244

变更产品名称: 开关电源

Name of Product Modified: Switching Power Supply

变更情况 Situation of Modification (见下表 See table below) :

序号	项目 Item	变更前 Original	变更后 Present
1	safety 标准换版	GB 4943.1-2011	GB 4943.1-2022
2	安全关键 件补充报 备 绝缘垫片	无	详见本次报告(申请编号: A2023CCC0907-4121148 报告号: 13001-20230201C04381-P-S) 关键件 清单

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期(Date): 2023年04月27日

第1页 / 共1页

签发:

谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

证书编号: 2022010907483244

发证日期: 2022年07月14日

有效期至: 2027年07月13日

认证委托人名称 及注册地址	台达电子工业股份有限公司 台湾桃园县龟山乡山顶村兴邦路 31 之 1 号
产品生产者名称 及注册地址	台达电子工业股份有限公司 台湾桃园县龟山乡山顶村兴邦路 31 之 1 号
生产企业名称 及生产地址	台达电子(东莞)有限公司西南分公司 中国广东省东莞市石碣镇蟠桃路 33 号
产品名称和系列、 规格、型号	开关电源 见附件, 不带电线组件销售, 仅适用于海拔 5000 米及以下
产品标准和 技术要求	GB 17625.1-2012;GB 4943.1-2011;GB/T 9254.1-2021

上述产品符合 CNCA-C09-01:2014 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

证书编号：2022010907483244

第 1 页 共 1 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

1) PMT-48V150W1AA、PMT-48V150W1AG、PMT-48V150W1AH、
PML-48V150W1AA、PML-48V150W1AG、PML-48V150W1AH

(输出：48VDC 3.3A)；

2) PMT-24V150W1AA、PMT-24V150W1AG、PMT-24V150W1AH、
PML-24V150W1AA、PML-24V150W1AG、PML-24V150W1AH、
PMT-24V150W1AC

(输出：24VDC 6.5A)；

3) PMT-12V150W1AA、PMT-12V150W1AG、PMT-12V150W1AH、
PML-12V150W1AA、PML-12V150W1AG、PML-12V150W1AH、
PMT-12V150W1AB

(输出：12VDC 12.5A)；

4) PMT-18V150W1AA、PMT-18V150W1AG、PMT-18V150W1AH、
PML-18V150W1AA、PML-18V150W1AG、PML-18V150W1AH

(输出：18VDC 8.4A)；

输入：100-120/200-240VAC 50-60Hz 3/2A



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022010907483244

Valid from: Jul.14,2022

Valid until: Jul.13,2027

NAME AND REGISTERED ADDRESS OF THE APPLICANT Delta Electronics, Inc.
31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan County 33370, Taiwan

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER Delta Electronics, Inc.
31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan County 33370, Taiwan

NAME AND LOCATION OF THE FACTORY Delta Electronics (Dongguan) Co., Ltd. Southwest Branch.
No.33, Pantao Road, Shijie Town, Dongguan, Guangdong 523308, P. R. China

PRODUCT MODEL(S) Switching Power Supply
See Appendix , Sale without cord set , Altitude up to 5000m

STANDARDS AND TECHNICAL REQUIREMENTS GB 17625.1-2012;GB 4943.1-2011;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022010907483244

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

1) PMT-48V150W1AA、PMT-48V150W1AG、PMT-48V150W1AH、
PML-48V150W1AA、PML-48V150W1AG、PML-48V150W1AH

(输出: 48VDC 3.3A);

2) PMT-24V150W1AA、PMT-24V150W1AG、PMT-24V150W1AH、
PML-24V150W1AA、PML-24V150W1AG、PML-24V150W1AH、
PMT-24V150W1AC

(输出: 24VDC 6.5A);

3) PMT-12V150W1AA、PMT-12V150W1AG、PMT-12V150W1AH、
PML-12V150W1AA、PML-12V150W1AG、PML-12V150W1AH、
PMT-12V150W1AB

(输出: 12VDC 12.5A);

4) PMT-18V150W1AA、PMT-18V150W1AG、PMT-18V150W1AH、
PML-18V150W1AA、PML-18V150W1AG、PML-18V150W1AH

(输出: 18VDC 8.4A);

输入: 100-120/200-240VAC 50-60Hz 3/2A



CHINA QUALITY CERTIFICATION CENTRE