

## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product

Power Supply for building-in

Name and address of the applicant

Delta Electronics (Thailand) Public Co., Ltd.  
909 Soi 9, Moo 4, Bangpoo Industrial Estate (E.P.Z.),  
Pattana 1 Road, Tambol Phraksa, Amphur Muang,  
Samutprakarn, TH-10280, Thailand

Name and address of the manufacturer

Delta Electronics (Thailand) Public Co., Ltd.  
909 Soi 9, Moo 4, Bangpoo Industrial Estate (E.P.Z.),  
Pattana 1 Road, Tambol Phraksa, Amphur Muang,  
Samutprakarn TH-10280, Thailand

Name and address of the factory

See next page

*Note: When more than one factory, please report on page 2* Additional Information on page 2

Ratings and principal characteristics

See next page

Trademark (if any)

DELTA

Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

PMH-24V100WCCX(y) and PMH-24V100WCNX(y)

Additional information (if necessary may also be reported on page 2)

This CB Certificate replaces previously issued CB Certificate due to amendment of Test Report.

 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-1:2010 (5th Edition) + A1:2013 + A2:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

T211-0521/17 A1


This CB Test Certificate is issued by the National Certification Body

SIQ Ljubljana, Tržaška cesta 2, SI-1000 Ljubljana, Slovenia  
T +386 1 4778 100, F +386 1 4778 444, info@siq.si, www.siq.si

SIQ Ljubljana is accredited by Slovenian Accreditation with accreditation number CP-001 in the field of certification of products, processes and services.

Date: 2017-12-19

Signature: Bojan Pečavar



**Name and address of the factory:**

Delta Electronics (Thailand) Public Co., Ltd.  
909 Soi 9, Moo 4, Bangpoo Industrial Estate (E.P.Z.), Pattana 1 Road, Tambol Phraksa, Amphur  
Muang, Samutprakarn TH-10280, Thailand

Delta Electronics (Jiangsu) Ltd.,  
No.1688, Jiangxing East Road, Wujiang Eco & Tech Development Zone, CN-215200 Wujiang City,  
Jiangsu province, China

**Ratings:****PMH-24V100WCCX(y)**

Input: AC: 100-240 Vac; 50-60 Hz; 2,2-1,0 A; DC: 125-250 Vdc; 0,9-0,44 A

Output: 24 Vdc; 4,16 A; 100 W Max. (Adjustable from 22 to 28 Vdc or not adjustable. Current from  
3,57 A to 4,16 A)

**PMH-24V100WCNX(y)**

Input: AC 100-240 Vac; 50-60 Hz; 2,1-0,9 A; DC: 125-250 Vdc; 0,8-0,4 A

Output: 24 Vdc; 3,8 A (Adjustable from 22 to 24 Vdc but fix current at 3,8 A)

Additional information (if necessary)

Date: 2017-12-19

Signature: Bojan Pečavar



IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product

Power Supply for building-in

Name and address of the applicant

Delta Electronics (Thailand) Public Co., Ltd.  
909 Soi 9, Moo 4, Bangpoo Industrial Estate (E.P.Z.),  
Pattana 1 Road, Tambol Phraksa, Amphur Muang,  
Samutprakarn, TH-10280, Thailand

Name and address of the manufacturer

Delta Electronics (Thailand) Public Co., Ltd.  
909 Soi 9, Moo 4, Bangpoo Industrial Estate (E.P.Z.),  
Pattana 1 Road, Tambol Phraksa, Amphur Muang,  
Samutprakarn TH-10280, Thailand

Name and address of the factory

see next page

*Note: When more than one factory, please report on page 2* Additional Information on page 2

Ratings and principal characteristics

see next page

Trademark (if any)

DELTA

Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

PMH-24V100WCCX(y) and PMH-24V100WCNX(y)

Additional information (if necessary may also  
be reported on page 2)

/

 Additional Information on page 2A sample of the product was tested and found  
to be in conformity withIEC 61558-2-16:2009 (1st Ed.) + A1:2013 used in  
conjunction with IEC 61558-1:2005 (2nd Ed.) + A1:2009As shown in the Test Report Ref. No. which  
forms part of this Certificate

T211-0522/17

This CB Test Certificate is issued by the National Certification Body

SIQ Ljubljana, Tržaška cesta 2, SI-1000 Ljubljana, Slovenia  
T +386 1 4778 100, F +386 1 4778 444, info@siq.si, www.siq.siSIQ Ljubljana is accredited by Slovenian Accreditation with accreditation number CP-001 in the  
field of certification of products, processes and services.

Date: 2017-07-04

Signature: Bojan Pečavar

**Name and address of the factory:**

Delta Electronics (Thailand) Public Co., Ltd.  
909 Soi 9, Moo 4, Bangpoo Industrial Estate (E.P.Z.), Pattana 1 Road, Tambol Phraksa, Amphur  
Muang, Samutprakarn TH-10280, Thailand

Delta Electronics (Jiangsu) Ltd.,  
No.1688, Jiangxing East Road, Wujiang Eco & Tech Development Zone, CN-215200 Wujiang City,  
Jiangsu province, China

**Ratings:**

## PMH-24V100WCCX(y)

Input: AC: 100-240 Vac; 50-60 Hz; 2,2-1,0 A; DC: 125-250 Vdc; 0,9-0,44 A

Output: 24 Vdc; 4,16 A; 100 W Max. (Adjustable from 22 to 28 Vdc or not adjustable. Current from  
3,57 A to 4,16 A)

## PMH-24V100WCNX(y)

Input: AC 100-240 Vac; 50-60 Hz; 2,1-0,9 A; DC: 125-250 Vdc; 0,8-0,4 A

Output: 24 Vdc; 3,8 A (Adjustable from 22 to 24 Vdc but fix current at 3,8 A)

Additional information (if necessary)

Date: 2017-07-04

Signature: Bojan Pečavar



## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product

Power Supply for Building-In

Name and address of the applicant

Delta Electronics (Thailand) Public Co., Ltd.  
909 Soi 9, Moo 4, Bangpoo Industrial Estate (E.P.Z.),  
Pattana 1 Road, Tambol Phraksa, Amphur Muang,  
Samutprakarn TH-10280, Thailand

Name and address of the manufacturer

Delta Electronics (Thailand) Public Co., Ltd.  
909 Soi 9, Moo 4, Bangpoo Industrial Estate (E.P.Z.),  
Pattana 1 Road, Tambol Phraksa, Amphur Muang,  
Samutprakarn TH-10280, Thailand

Name and address of the factory

See page 2

*Note: When more than one factory, please report on page 2* Additional Information on page 2

Ratings and principal characteristics

See page 2

Trademark / Brand (if any)

DELTA ELECTRONICS, INC.

Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

PMH-24V100WCCX(y) and PMH-24V100WCNX(y)  
X: any alphanumeric or blank, (y): any alphanumeric or blank  
X and (y) are not safety relevant markings

Additional information (if necessary may also be reported on page 2)

Unit also complies with EN 62368-1:2014 + A11:2017.

 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

T223-0792/20 (2020-12-08)

This CB Test Certificate is issued by the National Certification Body

SIQ Ljubljana, Mašera-Spasičeva ulica 10, SI-1000 Ljubljana, Slovenia  
T +386 1 4778 100, F +386 1 4778 444, info@siq.si, www.siq.si

SIQ Ljubljana is accredited by Slovenian Accreditation with accreditation number CP-001 in the field of certification of products, processes and services.

Date: 2020-12-08

Signature: Bojan Pečavar



**Name and address of the factories:****Delta Electronics (Thailand) Public Co., Ltd.**

909 Soi 9, Moo 4, Bangpoo Industrial Estate (E. P. Z),  
Pattana 1 Rd., Tambol Phraksa, Amphur Muang,  
Samutprakarn TH-10280, Thailand

**Delta Electronics (Jiangsu) Ltd.**

No. 1688 Jiangxing East Road,  
Wujiang Economics Development Zone,  
Song Ling Town, Wujiang City,  
Jiangsu Province, CN-215200, P.R China

**Delta Electronics India Private Limited**

Unit-II, Sy. No: 1007, Hosur-Krishnagiri Highway,  
Opp.Akash Bajaj Showroom, Chennathur Village,  
Hosur-635109, Krishnagiri District,  
Tamilnadu State, India

**Delta Electronics India Private Limited-SEZ Unit**

Delta SEZ Notified At Sy. No: 16/1B2B(Part) & 16/1B2A(Part),  
Plot No. 1, Industrial Park,  
Kurubarapalli Village, Krishnagiri - 635115,  
Tamilnadu State, India

**Rating and Principal characteristics:****PMH-24V100WCCX(y)**

Input: AC: 100-240 Vac; 50-60 Hz; 2.2-1.0 A; DC: 125-250 Vdc; 0.9-0.44 A

Output: 24 Vdc; 4.16 A; 100 W Max. (Adjustable from 22 to 28 Vdc or not adjustable. Current from 3.57 A to 4.16 A)

**PMH-24V100WCNX(y)**

Input: AC: 100-240 Vac; 50-60 Hz; 2.1-0.9 A; DC: 125-250 Vdc; 0.8-0.4 A

Output: 24 Vdc; 3.8 A (Adjustable from 22 to 24 Vdc but fix current at 3.8 A)

**Additional information (if necessary)**

Date: 2020-12-08

Signature: Bojan Pečavar





Ref. Certif. No.

**SI-6062**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product	Power Supply for building-in
Name and address of the applicant	Delta Electronics (Thailand) Public Co., Ltd. 909 Soi 9, Moo 4, Bangpoo Industrial Estate (E.P.Z.), Pattana 1 Road, Tambol Phraksa, Amphur Muang, Samutprakarn, TH-10280, Thailand
Name and address of the manufacturer	Delta Electronics (Thailand) Public Co., Ltd. 909 Soi 9, Moo 4, Bangpoo Industrial Estate (E.P.Z.), Pattana 1 Road, Tambol Phraksa, Amphur Muang, Samutprakarn TH-10280, Thailand
Name and address of the factory	see next page
<i>Note: When more than one factory, please report on page 2</i>	<input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	see next page
Trademark (if any)	DELTA
Customer's Testing Facility (CTF) Stage used	/
Model / Type Ref.	PMH-24V100WCCX(y) and PMH-24V100WCNX(y) - X: any alphanumeric or blank, (y): any alphanumeric or blank X and (y) are not safety relevant markings
Additional information (if necessary may also be reported on page 2)	/
A sample of the product was tested and found to be in conformity with	<input checked="" type="checkbox"/> Additional Information on page 2 IEC 60950-1:2005 (2 <sup>nd</sup> Edition) + A1:2009 + A2:2013
As shown in the Test Report Ref. No. which forms part of this Certificate	T223-0290/17

This CB Test Certificate is issued by the National Certification Body



SIQ Ljubljana, Tržaška cesta 2, SI-1000 Ljubljana, Slovenia  
T +386 1 4778 100, F +386 1 4778 444, info@siq.si, www.siq.si

SIQ Ljubljana is accredited by Slovenian Accreditation with accreditation number CP-001 in the field of certification of products, processes and services.

Date: 2017-06-28

Signature: Bojan Pečavar

## Name and address of the factory:

Delta Electronics (Thailand) Public Co., Ltd.  
909 Soi 9, Moo 4, Bangpoo Industrial Estate (E.P.Z.), Pattana 1 Road, Tambol Phraksa, Amphur  
Muang, Samutprakarn TH-10280, Thailand

Delta Electronics (Jiangsu) Ltd.,  
No.1688, Jiangxing East Road, Wujiang Eco & Tech Development Zone, CN-215200 Wujiang City,  
Jiangsu province, China

## Ratings:

## PMH-24V100WCCX(y)

Input: AC: 100-240 Vac; 50-60 Hz; 2.2-1.0 A; DC: 125-250 Vdc; 0.9-0.44 A

Output: 24 Vdc; 4.16 A; 100 W Max. (Adjustable from 22 to 28 Vdc or not adjustable. Current from  
3.57 A to 4.16 A)

## PMH-24V100WCNX(y)

Input: AC 100-240 Vac; 50-60 Hz; 2.1-0.9 A; DC: 125-250 Vdc; 0.8-0.4 A

Output: 24 Vdc; 3.8 A (Adjustable from 22 to 24 Vdc but fix current at 3.8 A)

## Additional information (if necessary)

Date: 2017-06-28

Signature: Bojan Pečavar

