




Ref. Certif. No.

DK-144475-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Switching power supply
Name and address of the applicant	DELTA ELECTRONICS INC 3 Tungyuan Road Chungli Industrial Zone Taoyuan City 32063 TAIWAN
Name and address of the manufacturer	DELTA ELECTRONICS INC 3 Tungyuan Road Chungli Industrial Zone Taoyuan City 32063 TAIWAN
Name and address of the factory	DELTA ELECTRONICS (JIANGSU) LTD. 215200, No.1688, Jiangxing East Road, Wujiang Economic and Technological Development Zone, Suzhou City, Jiangsu Province, P. R. China <input checked="" type="checkbox"/> Additional Information on page 2
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	Input rating: 100-240Vac, 6-3A, 60-50Hz <input checked="" type="checkbox"/> Additional Information on page 2
Trademark / Brand (if any)	 DELTA
Customer's Testing Facility (CTF) Stage used	CTF Stage 2
Model / Type Ref.	MDS-350AD701 XX <input checked="" type="checkbox"/> Additional Information on page 2
Additional information (if necessary may also be reported on page 2)	<b>Additionally evaluated to:</b> EN 60601-1:2006, EN 60601-1:2006/A1:2013, EN 60601-1:2006/A12:2014, EN 60601-1:2006/A2:2021 National Differences: CA, US <input type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 60601-1:2005, IEC 60601-1:2005/AMD1:2012, IEC 60601-1:2005/AMD2:2020
As shown in the Test Report Ref. No. which forms part of this Certificate	E356265-D1137-1/A0/C0-CB issued on 2023-08-23

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-08-29

Signature:   
Thomas Wilson



Ref. Certif. No.

**DK-144475-UL**

**Factory(ies):**

DELTA ELECTRONICS (THAILAND) PUBLIC CO., LTD.  
909 Soi 9 Moo 4, Bangpoo Industrial Estate (E.P.Z.), Pattana 1 Road, Tambol Phraksa, Amphur Muang, Samutprakarn 10280 Thailand

Delta Electronics (Dongguan) Co., Ltd.  
No.33 Pantao Road Shijie Town Dongguan Guangdong 523308 China

DELTA ELECTRONICS (WUHU) LTD  
No. 138, Jiuhua North Road, LongShan Street, Economic technical Development Area Wuhu City, Anhui Province, 241009 China

Delta Electronics (Thailand) Public Co., Ltd.  
111/6 Moo 9, Wellgrow Industrial Estate, Bangna-Trad Road Tambol Bangwua, Amphur Bangpakong, Chachoengsao 24180 Thailand

Delta Electronics (Dongguan) Co., Ltd Southwest Branch  
No.33 Pantao Road Shijie Town Dongguan Guangdong 523308 China

Delta Electronics India Private Limited SEZ Unit  
SY No. 16/1B2B Part & 16/1B2A Part Plot No.1, Kurubarapalli Village Krishnagiri, Tamil Nadu, 635115 INDIA

**Additional Model Detail(s):**

MDS-350AD701 XX, X=0-9, A-Z, or blank, for marketing purpose only

**Additional Ratings:**

Output rating:

+3.3V/16A, +5V/18A, +12V1/16A, +12V2/16A, +5Vsb/2.5A, -12V/0.5A, -5V/0.2A

(Maximum Total Combined Power of +3.3V and +5V: 130W

Maximum Total Combined Current of +12V1 and +12V2: 24A

Maximum Total Combined Power of +3.3V, +5V, +12V1 and +12V2: 331W

Maximum Total Combined Power of +3.3V, +5V, +12V1, +12V2, +5Vsb, -12V and -5V: 350W)

**Additional information (if necessary)**



- UL Solutions (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-08-29

Signature:

Thomas Wilson

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) METHODE OC

**CB TEST CERTIFICATE**

**CERTIFICAT D'ESSAI OC**

Product  
Produit

Switching power supply

Name and address of the applicant  
Nom et adresse du demandeur

DELTA ELECTRONICS INC  
3 TUNGYUAN RD  
CHUNGLI INDUSTRIAL ZONE  
TAOYUAN COUNTY, 32063 Taiwan

Name and address of the manufacturer  
Nom et adresse du fabricant

DELTA ELECTRONICS INC  
3 TUNGYUAN RD  
CHUNGLI INDUSTRIAL ZONE  
TAOYUAN COUNTY, 32063 Taiwan

Name and address of the factory  
Nom et adresse de l'usine

DELTA ELECTRONICS (THAILAND) PUBLIC CO., LTD  
909 SOI 9 MOO 4, BANGPOO INDUSTRIAL ESTATE (E.P.Z.),  
PATTANA 1 RD., TAMBOL PHRAKSA, AMPHUR MUANG,  
SAMUTPRAKARN 10280  
THAILAND

*Note: When more than one factory, please report on page 2*  
*Note: Lorsque il y plus d'une usine, veuillez utiliser la 2<sup>ème</sup> page*

Additional Information on page 2  
See Page 2

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

Trademark (if any)  
Marque de fabrique (si elle existe)

DELTA



Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeur

CTF Stage 2

Model / Type Ref.  
Ref. De type

MDS-350AD701 XX  
See Page 2

Additional information (if necessary may also be reported on page 2)  
Les informations complémentaires (si nécessaire,, peuvent être indiqués sur la 2<sup>ème</sup> page

Additionally evaluated to EN 60601-1:2006/ A1:2013/ A12:2014.  
National Differences specified in the CB Test Report.  
 Additional Information on page 2

A sample of the product was tested and found to be in conformity with  
Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60601-1(ed.3), IEC 60601-1(ed.3);am1

As shown in the Test Report Ref. No. which forms part of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de référence qui constitue partie de ce Certificat

E356265-D1023-1/A0/C0-CB issued on 2016-02-04

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



- UL (US), 333 Pflugsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2016-02-04

Signature:

Jan-Erik Storgaard

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)



Ref. Certif. No.

**DK-51824-UL**

**Model Details:**

MDS-350AD701 XX (X=0-9, A-Z, or blank, for marketing purpose only)

**Factories:**

DELTA ELECTRONICS POWER (DONGGUAN) CO., LTD.

DELTA INDUSTRIAL ESTATE, SHIJIE TOWN, DONGGUAN CITY, GUANGDONG PROVINCE 523308  
CHINA

DELTA ELECTRONICS (JIANGSU) LTD

NO. 1688, JIANGXING EAST ROAD, WUJIANG ECONOMIC DEVELOPMENT ZONE, WUJIANG CITY, JIANGSU  
PROVINCE, 215200  
CHINA

**Ratings:**

**Input rating:**

100-240Vac, 6-3A, 60-50Hz

**Output rating:**

+3.3V/16A; +5V/18A; +12V1/16A; +12V2/16A; +5Vsb/2.5A; -12V/0.5A; -5V/0.2A

(Maximum Total Combined Power of +3.3V and +5V: 130W

Maximum Total Combined Current of +12V1 and +12V2: 24A

Maximum Total Combined Power of +3.3V, +5V, +12V1 and +12V2: 331W

Maximum Total Combined Power of +3.3V, +5V, +12V1, +12V2, +5Vsb, -12V and -5V: 350W)

**Additional information (if necessary)**

**Information complémentaire (si nécessaire)**



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2016-02-04

Signature:

Jan-Erik Storgaard



IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

## CERTIFICAT D'ESSAI OC

Product  
Produit

Switching Power Supply

Name and address of the applicant  
Nom et adresse du demandeur

Delta Electronics, Inc.  
3 Tungyuan Road, Chungli Industrial Zone,  
Taoyuan County 32063  
Taiwan

Name and address of the manufacturer  
Nom et adresse du fabricant

Delta Electronics, Inc.  
3 Tungyuan Road, Chungli Industrial Zone,  
Taoyuan County 32063  
Taiwan

Name and address of the factory  
Nom et adresse de l'usine

Delta Electronics (Jiangsu) Ltd.  
No. 1688, Jiangxing East Road, Wujiang Economic Development  
Zone, Wujiang City, Jiangsu Province, 215200  
China

Note: When more than one factory, please report on page 2  
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2<sup>eme</sup> page

Additional Information on page 2  
See Page 2

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

Trademark (if any)  
Marque de fabrique (si elle existe)  
Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais  
constructeur

DELTA ELECTRONICS, INC.

CTF Stage 1

Model / Type Ref.  
Ref. De type

MDS-350AD701 XX  
See Page 2

Additional information (if necessary may also be  
reported on page 2)  
Les informations complémentaires (si nécessaire,,  
peuvent être indiqués sur la 2<sup>eme</sup> page

Additionally evaluated to EN 60950-1:2006 /A11:2009 /A1:2010  
/A12:2011 /A2:2013; National Differences specified in the CB Test  
Report.

Additional Information on page 2

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1, IEC  
60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part  
of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

OFF-4787301198.1.1-BA4-1 issued on 2016-01-18

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA  
 UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK  
 UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN  
 UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2016-01-26

Signature:

Jan-Erik Storgaard

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)



Ref. Certif. No.

**DK-51509-UL**

**Model Details:**

MDS-350AD701 XX (X=0-9, A-z or blank for marketing purpose and no impact safety related critical components and constructions.)

**Ratings:**

AC Input:100-240V~ 6-3A, 60-50Hz

DC Output:+3.3V, 16.0A; +5V, 18.0A;+12V1, 16.0A;+12V2, 16.0A;+5Vsb,2.5A; -12V,0.5A;-5V, 0.2A

(Maximum Total Combined Power of +3.3V and +5V: 130W; Maximum Total Combined Current of +12V1 and +12V2: 24A; Maximum Total Combined Power of +3.3V, +5V, +12V1 and +12V2: 331W; Maximum Total Combined Power of +3.3V, +5V, +12V1, +12V2, +5Vsb, -12V and -5V: 350W)

**Additional information (if necessary)**

**Information complémentaire (si nécessaire)**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2016-01-26

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-98114-UL**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product

SWITCHING POWER SUPPLY

Name and address of the applicant

DELTA ELECTRONICS INC  
3 TUNGYUAN ROAD CHUNGLI INDUSTRIAL ZONE TAOYUAN  
CITY 32063 TAIWAN

Name and address of the manufacturer

DELTA ELECTRONICS INC  
3 TUNGYUAN ROAD CHUNGLI INDUSTRIAL ZONE TAOYUAN  
CITY 32063 TAIWAN

Name and address of the factory

Note: When more than one factory, please report on page 2

DELTA ELECTRONICS (JIANGSU) LTD.  
215200, NO.1688, JIANGXING EAST ROAD, WUJIANG  
ECONOMIC AND TECHNOLOGICAL DEVELOPMENT ZONE,  
SUZHOU CITY, JIANGSU PROVINCE,  
P. R. CHINA

Additional Information on page 2

Ratings and principal characteristics

See Page 2

Trademark / Brand (if any)

DELTA

Type of Customer's Testing Facility (CTF) Stage used

CTF Stage 1

Model / Type Ref.

MDS-350AD701 XX  
See Page 2

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to EN 62368-1:2014/A11:2017; National Differences specified in the CB Test Report.

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

E131881-A6221-CB-1 issued on 2020-06-04

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2020-06-05

Signature:

Jan-Erik Storgaard

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)



Ref. Certif. No.

**DK-98114-UL**

**Model Details:**

MDS-350AD701 XX (X=0-9, A-Z or blank for marketing purpose and no impact safety related critical components and constructions.)

**Ratings:**

AC Input:100-240V~ 6-3A, 60-50Hz

DC Output:+3.3V, 16.0A; +5V, 18.0A;+12V1, 16.0A;+12V2, 16.0A;+5Vsb,2.5A; -12V, 0.5A;-5V, 0.2A

(Maximum Total Combined Power of +3.3V and +5V: 130W;

Maximum Total Combined Current of +12V1 and +12V2: 24A;

Maximum Total Combined Power of +3.3V, +5V, +12V1 and +12V2: 331W;

Maximum Total Combined Power of +3.3V, +5V, +12V1, +12V2, +5Vsb, -12V and -5V: 350W)

**Additional information (if necessary)**



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA



UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK



UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN



UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-06-05

Signature:

Jan-Erik Storgaard