



# Certificate of Compliance

**Certificate:** 80072275

**Master Contract:** 158114 (LR 104659)


**Project:** 80072275

**Date Issued:** March 5, 2021

**Issued to:** Delta Electronics, Inc.  
3 Tung Yuan Rd  
Chungli Industrial Zone  
Taoyuan City 32063  
Taiwan  
**Attention:** Mr. Boyang Liao

*The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US (indicating that products have been manufactured to the requirements of both Canadian and US Standards) or with adjacent indicator 'US' for US only or without either indicator for Canada only*



**Issued by:**   
Chuck Lee

## PRODUCTS

CLASS 3426 32 - LUMINAIRES-LED Drivers (For Canadian Certification)

CLASS 3426 92 - LUMINAIRES-LED Drivers (For Certified to US Standards)

Constant Voltage LED driver, Class 2 output power, encased and potted, suitable for dry and damp location usage. Type HL, Class P.

Model No.	Input Voltage (V~)	Input Freq. (Hz)	Input Current (A)	Max. Input Power (W)	Output Voltage (V dc)	Output Current (A)	Max. Output Power (W)
USVI-060024FRXX USVI-060024FHXX	120-277	50/60	0.59-0.25	70	24	2.5	60

Notes: The "X" in the model designation may be A to Z, 0-9 or blank denoted for marketing purpose.



**Certificate:** 80072275

**Master Contract:** 158114 (LR 104659)

**Project:** 80072275

**Date Issued:** March 5, 2021

**Conditions Of Acceptability:**

When installed in the end-use equipment, the following are among the considerations to be made:

- Intended for use in end-product equipment where the suitability of the component is to be determined in the end-product evaluation by CSA International, another accredited certification organization or authorities having jurisdiction.
- The product shall be installed in compliance with the enclosure, mounting, mounting surface, spacing, and segregation requirements of the End Product in which it is employed. Suitability shall be determined during End Product Certification Evaluation.
- This LED Driver have been evaluated to be equivalent to Class-2 controlgears in respect to electric shock and fire hazard for Class 3426 32/92.
- This product has only been evaluated for use in “DRY and DAMP LOCATION”.
- The enclosure of this product must be grounded when installed into end product.
- This product was evaluated for use within the parameters of its marked ratings.

**APPLICABLE REQUIREMENTS**

- CAN/CSA-C22.2 No 250.13-20 - Light emitting diode (LED) equipment for lighting applications
- UL Std No 8750, 2nd Ed. (2021-01-05) - Light Emitting Diode (LED) Equipment for Use in Lighting Products



## *Supplement to Certificate of Compliance*

**Certificate:** 80072275

**Master Contract:** 158114 (LR 104659)

*The products listed, including the latest revision described below,  
are eligible to be marked in accordance with the referenced Certificate.*

### **Product Certification History**

---

<b>Project</b>	<b>Date</b>	<b>Description</b>
80072275	2021-03-05	Original Certification of LED driver Model USVI-060024FRXX and USVI-060024FHXX.